




MEDICAL

Workstations

Better care begins with better design




The work that you do can take a toll on your body—you're constantly moving, bending and reaching. And you may not realize how this repetitive motion can affect your overall health until it's too late. That's why it's important to take ergonomics into consideration before it becomes a problem. Because at the end of the day, equipment should enhance the patient-caregiver experience, beginning with better flexibility at the point of care.



Improper posture may be hurting you.


The effects of computer usage on the human body is oftentimes overlooked when we think about safety in healthcare facilities. However, physicians spend close to half their working hours behind a computer.¹ That's why proper posture is important.



IMPROPER POSTURE

There is no support at the point of care for technology, forcing the caregiver to support the technology instead. Her poor posture will cause neck, shoulder, arm, wrist and back strain with increasing discomfort over time.

What does proper posture look like?



- 01 Computer screen below eye level
- 02 Shoulders relaxed with back straight and supported
- 03 Arms close to the body, elbows bent at a 90° angle and wrists straight
- 04 Feet flat on the floor?

Better ergonomics for every body.

It's no secret that being a healthcare provider is demanding. In fact, it's one of the toughest jobs in the United States today.

1 OUT OF 5

Of all injuries reported in the United States is healthcare related.³

3X


Healthcare workers are almost three times as likely to suffer from work-related injuries than construction workers.³

49%

Amount of time physicians spend each day on EHR and desk work.¹

It's not just lifting patients that puts today's caregivers at risk. As the industry shifts toward automation, the increased time behind a computer is likely to add to the already high rate of injuries in healthcare workers.


THE MOST COMMONLY REPORTED REPETITIVE STRAIN INJURIES FOR CAREGIVERS SINCE THE INCEPTION OF THE EHR.⁴




\$68K

AVERAGE COST PER INCIDENT FOR INJURIES LIKE SPRAINS, STRAINS, INFLAMMATION AND CARPAL TUNNEL SYNDROME.⁵

That's why we worked with over 20 facilities across the United States to create mobile workstations that can support users from a **5'0" person seated** to a **6'4" person standing**—and everyone in between.



Work comfortably. Stay connected.



01



02

01 HEIGHT ADJUSTMENT

26" of height adjustment allows you to work from an ergonomically correct position whether seated, standing, stationary or mobile.

02 STURDY CASTER BASE

Easily move the workstation from room to room with the sturdy caster base design.

03



04



03 180° OF ROTATION

Left-to-right monitor rotation helps you maintain eye contact with patients and share content when needed.

04 EASY POSITIONING

Easily adjust the workstation height for each user with little force using the intuitive guidance label and lever.



Workstations

Midmark® Workstations



Midmark Workstations are designed to improve flexibility and efficiency, allowing you to work from a variety of ergonomically correct positions while maintaining eye contact with patients.

Better versatility Right at your fingertips.

With changing technology comes different needs. Midmark Workstations offer a variety of options for the integration of technology in the medical space. Configure your workstation the way you need it, where you need it, no matter your choice of hardware platform or location in a facility.



6214
Procedure Workstation



6215
Rectangular Workstation



6215-002
Compact Rectangular Workstation



6215-003
Compact Kidney Workstation



6211
Secure Laptop Workstation



6212
Flat Panel PC Workstation



6213
Flat Panel Secure PC Workstation



6217
Secure Laptop Workstation
+ Mouse Tray



6218
Flat Panel PC Workstation
+ Mouse Tray



6219
Flat Panel Secure PC Workstation
+ Mouse Tray


Putting the power to choose in your hands.

Add a power supply accessory to most Midmark® Workstations and keep your computer hardware running for up to a 10-hour shift without needing recharged. Our AC power modules serve as the flexible platform you need for the hardware you choose.




Power designed to last longer.

Our dependable, long-lasting lithium iron phosphate (LiFePO₄) battery charges quickly to get you back up and running fast.



Workstation shown with medical grade power cord and optional remote user interface.

Wall units make the most of your space.



6281
Wall mounted workstation designed for 22" of independent height adjustment for laptop and tablet-based technology components.



6282 + 6283
Standard and heavy duty wall mounted workstations designed for 22" of independent height adjustment for PC-based technology components.

WALL UNIT ACCESSORIES

ADJUSTABLE PC HOLDER



Dimensions
10" W x 3.75" D x 7" H

TAMPER PROOF PC HOLDER



Dimensions
15.74" W x 3.96" D x 12.13" H

EXTENSION ARM



Dimensions
22" W x 2" D x 5.8" H

VESA MOUNT BAR CODE HOLDER



Dimensions
14.3"-16.2" W x 6.25" D x 4.35" H

TRACK MOUNT BAR CODE HOLDER



Dimensions
5" W x 4.73" D x 9" H

DUAL MONITOR ARM



Dimensions
26.8" W x 4.6" D x 02.58" H

All wall unit accessories shown are available in Mist color only.



Mobile
Workstation
Accessories

ACCESSORIES HELP ADD VERSATILITY + FUNCTION TO YOUR WORKSTATION

AC POWER SYSTEM*



Dimensions
16.5" W x 9.5" D x 11" H

Capacity
491 WHR

Battery Technology
LiFePO₄ - lithium iron phosphate

COILED POWER CORD



Steel Bracket (shown)
7.2" W x 1.8" D x 2.5" H

Cord Tray Bracket
2.5" W x 1.8" D x 2.5" H

Both have 8' max extension length

Medical grade cord w/ 3 AC outlets

Right or left mount available

COLUMN BASKET



Front
17.45" W x 12" D x 4.07" H

Rear
17.45" W x 12" D x 4.07" H

Dual (shown)
17.45" W x 15.68" D x 4.07" H

REAR BASKET



Dimensions
16.64" W x 6.47" D x 4" H

Capacity
5 lb max

DRAWER



Non-Locking
14" W x 10" D x 5.3" H

Keyless Lock (shown)
14" W x 10.65" D x 5.3" H

ADJUSTABLE UTILITY SHELF*



Dimensions
17.63" W x 12.5" D x 8.125" H

Internal Depth Range
8.80" min to 17.33" max

Capacity
30 lb max

SCALE HOLDER



Dimensions
14.5" W x 12.15" D x 12.25" H

Capacity
7 lb max

Right or left mount available

CPU HOLDER



Dimensions
10" W x 12.55" D (max) x 7.25" H

Can accommodate devices from 1.27" to 3.95" thick

Can be mounted in front or rear (rear mount shown)

VOIP SHELF



Dimensions
16.25" W x 5.24" D x 6" H

Capacity
5 lb max

Right or left mount available

VOIP BRACKET



Dimensions
13.0" W x 6.05" D x 3.40" H

Capacity
6 lb max

Right or left mount available

BAR CODE HOLDER



Vesa Mount (shown)
15" W x 6.47" D x 4.35" H w/up to 3.45" of horizontal adjustment

Surface Mount
3.11" W x 4.23" D x 3.04" H

Right or left mount available

Capacity
2 lb max weight for both options

VITAL SIGNS ACCESSORIES



Equipment Pole
19" W x 4" D x 22.5" H
Up to 18" of height adj.

BP Cuff Holder
3" W x 3.1" D x 8.75" H

Vital Signs Equipment Pole Mount

DUAL MONITOR MOUNT



Dimensions
26.83" W x 2.61" D x 4.6" H

Capacity
5 lb to 15 lb max total weight

Vesa Patterns
75 mm + 100 mm
Each Vesa Plate has 7.435" of horizontal adjustment and 90° rotation capability.

LAPTOP DISPLAY HOLDER



Dimensions
7.25" W x 3.35" D x 12.52" H

Capacity
10 lb max

VESA MOUNTING PLATE



Dimensions
12.29" W x 1.88" D x 4.94" H

Capacity
5 lb max

Vesa Patterns
75 mm + 100 mm

TABLET DISPLAY HOLDER



Dimensions
6.88" W x 1.35" D x 8.14" H

Capacity
Minimum tablet weight 3.5 lb to use monitor height adjustment

MOBILE PRINTER SHELF




Dimensions
14.86" W x 8.7" D x 1.5" H

Internal Width Range
4.29" min to 6.81" max

Capacity
5 lb max

*This accessory requires the workstation to have a large base (22.5" D x 20.5" W).

COLOR OPTIONS



- Dune 794
- Flax 795
- Nest 796
- Path 798
- Brazilwood 874
- Hewn 797
- Radiance 800
- Acorn 459
- Henna 803
- Sediment 799
- Earth 487
- Timber 801
- Storm 802
- Earthen Bronze 806
- Flat Iron 807
- Venus Silver 804
- Pearl Essence 805
- Fawn 490
- Whisper 649
- Pebble Grey 216
- Pebble Grey PVC Free 793
- Frost 791

SPECIFICATIONS

NON-POWERED WORKSTATIONS

26" of height adjustment, from 23" to 49"

2 total-locking casters front; 2 nonlocking casters rear

3.94" (100 mm) oversized casters

Polished aluminum column and caster base

Worksurface dimensions:

- 6211 – 23" D x 26" W
- 6212 – 23" D x 26" W
- 6213 – 23" D x 26" W
- 6214 – 21" D x 26" W
- 6215 – 21" D x 26" W
- 6215-002 – 17.5" D x 23.5" W
- 6215-003 – 17" D x 25" W
- 6217 – 23" D x 22" W
- 6218 – 23" D x 22" W
- 6219 – 23" D x 22" W

Monitor arm (models 6212, 6213, 6218, 6219):

75 mm and 100 mm VESA mounting patterns

9.5" independent vertical adjustment + up to 40 degrees positive tilt

Capacity range 5 lb min to 20 lb max

Independent rotation of 180°

Base dimensions:

- 6211 – 19.5" D x 20.5" W
- 6212 – 22.5" D x 20.5" W
- 6213 – 22.5" D x 20.5" W
- 6214 – 19.5" D x 20.5" W
- 6215 – 19.5" D x 20.5" W
- 6215-002 – 19.5" D x 20.5" W
- 6215-003 – 19.5" D x 20.5" W
- 6217 – 19.5" D x 20.5" W
- 6218 – 22.5" D x 20.5" W
- 6219 – 22.5" D x 20.5" W

Weight limits:

- 6211 – 20 lb
- 6212 – 30 lb
- 6213 – 30 lb
- 6214 – 20 lb
- 6215 – 20 lb
- 6215-002 – 20 lb
- 6215-003 – 20 lb
- 6217 – 20 lb
- 6218 – 30 lb
- 6219 – 30 lb

ANSI/BIFMA compliant

WALL MOUNT WORKSTATIONS

6281, 6282 and 6283 have 22" of height adjustment

Worksurface dimensions:

- 6281 – 14" D x 19" W
- 6282 – 10" D x 25" W
- 6283 – 10" D x 25" W

Weight limits:

- 6281 – 8 lb
- 6282 – 20 lb
- 6283 – 35 lb

AC POWERED WORKSTATIONS*

AC power supply complies with the following safety and environmental standards: UL/IEC 60601-1 (3rd Ed.) UL/IEC 60950-1

**The accessory requires the workstation to have a large base (22.5" D x 20.5" W).*

SOURCES

- 1 <http://annals.org/aim/article/2546704/allocation-physician-time-ambulatory-practice-time-motion-study-4-specialties>
- 2 <https://uhs.princeton.edu/health-resources/ergonomics-computer-use>
- 3 <https://www.bls.gov/iif/osh0060.pdf>
- 4 <https://pdfs.semanticscholar.org/f4f4/e346b9e89655131a6dfea989af799fabb973.pdf>
- 5 <https://www.osha.gov/dcsp/smallbusiness/safetypays/estimator.html>



Designing better care.®



CARB 93129.2 Phase 2 Compliant and TSCA Title VI Compliant

The color examples shown are the best representation of the original material. Actual color may vary slightly. We strongly recommend that you contact Midmark Customer Experience at 1.800.MIDMARK to request a sample before placing your order.

Midmark is an ISO 13485 and ISO 9001 Certified Company. Certain products are not included. See the complete list at: midmark.com/ISO

For more information, contact your Midmark dealer or call: 1.800.MIDMARK
Outside the USA call: 1.937.526.3662
or visit our website: midmark.com

© 2022 Midmark Corporation, Miamisburg, Ohio USA
Products subject to improvement changes without notice.
Litho in USA.
007-10137-00 Rev. D1 (11/22)

