

MEDICAL

Guide Book

Effective March 1, 2024

General Information

Ordering Notes.....	4
Freight and Shipping.....	4
Midmark® and Ritter® Medical Equipment Warranty	5

Midmark Chairs + Tables

Midmark 641 Procedure Chair	6-7
Midmark 630 HUMANFORM® Procedure Chair	8-10
Midmark 647 Podiatry Chair	11-12
Midmark 646 Podiatry Chair	13
Midmark 626 Barrier-Free® Examination Chair	14-17
Midmark 640 Pediatric Examination Table	18
Upholstery Color Palette.....	19

Ritter Chairs + Tables

Ritter 230 Procedure Chair.....	20-21
Ritter 244 Barrier-Free® Examination Table	22
Ritter 225 Barrier-Free® Examination Chair	23
Ritter 224 Barrier-Free® Examination Chair	24-25
Ritter 204 Manual Examination Table	26-27
Ritter 203 Treatment Table.....	28
Ritter 95 Treatment Table.....	28

Seating

Midmark 425 Physician Seating (Hand Operated).....	29
Midmark 427 Physician Seating (Foot Operated)	29
Ritter 279 Physician Seating (Hand Operated).....	30
Ritter 278 Physician Seating (Foot Operated).....	30
Ritter 277 Physician Seating with Backrest	30
Ritter 276 Physician Seating.....	30
Ritter 275 Physician Seating with Backrest	31
Ritter 274 Physician Seating.....	31
Ritter 273 Physician Seating with Backrest	31
Ritter 272 Physician Seating.....	31
Ritter 271 Physician Seating with Backrest	32
Ritter 270 Physician Seating.....	32
Ritter 280 Patient Side Chair.....	33
Ritter 282 Patient Bariatric Side Chair.....	33
Ritter 281 Blood Draw Chair	34

Lighting

Ritter 255 LED Procedure Light	35
Ritter 253 LED Exam Light	36
Ritter 250 LED Exam Light	37

Diagnostic Products

Midmark Diagnostic Medical Products Warranty	38
Midmark Diagnostic Medical Products Ordering Information	39
Midmark HEINE® Diagnostic Instruments Limited Warranty	40
Midmark Diagnostic Medical Products Support Information	41
Midmark Digital Vital Signs Device, IQvitals® Zone™ and Supplies	42-47
Midmark Digital ECG, Software and Supplies	48
Midmark HEINE Diagnostic Instrument Wall Kits and Accessories.....	49-50
Midmark HEINE Diagnostic Instrument Desktop Kits and Accessories	51
Midmark Synthesis® Instrument Panel I1-I2	52
Midmark HEINE Diagnostic Instrument Replacement Parts and Supplies.....	53
Midmark HEINE Gamma XXL LF Sphygmomanometer Kit and Accessories.....	54
Midmark HEINE Gamma G5 Sphygmomanometer Kit and Accessories	55

HEINE is a registered trademark of Heine Optotechnik GmbH & Co KG.

Midmark® Workstations

Midmark Workstation Warranty.....	56
Midmark 6211 Secure Laptop Workstation	57
Midmark 6212 Flat Panel PC Workstation	58
Midmark 6213 Flat Panel Secure PC Workstation.....	59
Midmark 6214 Procedure Workstation	60
Midmark 6215-001 Compact Workstation.....	61
Midmark 6215-002 Compact Rectangular Workstation.....	62
Midmark 6215-003 Compact Kidney Workstation	63
Midmark 6217 Secure Laptop Workstation + Mouse Tray.....	64
Midmark 6218 Flat Panel PC Workstation + Mouse Tray.....	65
Midmark 6219 Flat Panel Secure PC Workstation + Mouse Tray.....	66
Midmark 6281 Workstation.....	67
Midmark 6282 Workstation.....	68
Midmark 6283 Workstation.....	69

Midmark Synthesis® Mobile Solutions

Midmark Synthesis Cabinetry Warranty.....	70
Midmark Synthesis Cabinetry Color Selections	71
Midmark Synthesis Mobile Treatment Cabinet M2	72
Midmark Synthesis Mobile Treatment Cabinet M4	73
Midmark Synthesis Mobile Treatment Cabinet M5	74
Midmark Synthesis Mobile Procedure Cart P1.....	75
Midmark Synthesis Mobile Procedure Cart P2.....	76
Midmark Synthesis Mobile Procedure Cart P3.....	77
Midmark Storage Bins + Accessories	78
Midmark Synthesis Mobile Waste Cart W2.....	79
Midmark Synthesis Mobile Linen Cart L1	80
Midmark Synthesis Glove/Towel/Cup Dispenser D5-D8.....	81
Midmark Synthesis Dressing Nook N1-N2.....	82
Ritter 261 Waste Receptacle.....	83

Instrument Processing

Ritter M11® Steam Sterilizer.....	84
Ritter M9® Steam Sterilizer	84
Ritter M9D Manual Sterilizer.....	85
Sterilizer Accessories.....	85
VistaCool™ Direct-to-Drain System	86
QuickClean® Ultrasonic Cleaner QC6/QC6R.....	87
QuickClean® Ultrasonic Cleaner QC3/QC3R.....	87
QuickClean® Ultrasonic Cleaner QC1.....	88
Ultrasonic Parts and Accessories.....	88

The VistaCool™ Direct-to-Drain Cooling System for Autoclave Wastewater is manufactured by and a trademark of Crosstex International, Inc., a Cantel Medical Company.

Midmark Customer Experience

For order status, requests and product information, contact Medical Customer Experience: **1.844.856.1233**

Email: allcustservice-medical@midmark.com

To place an order, email: Orders-Medical@midmark.com

For Synthesis® Cabinetry order placement or information, email: cabinetry-medical@midmark.com

Midmark Technical Service

For service part identification, technical/operational questions, and warranty and product issues/complaints, contact Technical Service: **1.844.856.1230**

Sterilizer + Ultrasonic Products: sterilizers.ts@midmark.com

Diagnostic Products: techsupport@midmark.com

Procedure + Exam Chairs, Seating, Lighting, Workstations, Diagnostic Instrument Wall/Desk Kits, Oscopes,

Ophthalmoscopes + Sphygmomanometers: examroomeq.ts@midmark.com

Special Notes

1. **ORDERING**—Please provide the following information on all orders:

- Purchase order number
- Bill-to and ship-to addresses
- Product models and/or part number(s)
- Description including upholstery color and/or panel/countertop color
- Quantity needed
- Pricing
- Required shipping date
- Special shipping requirements (see details below)

DROP-SHIP REQUIREMENTS

- Please specify if the customer has a loading dock or has special shipping requirements.
- Receiving contact name, email and phone number is required.

2. **SPECIAL DESIGN**—Orders for equipment of special design, construction, upholstery or special finish are not subject to cancellation after your acceptance of our acknowledgment.

3. **SPECIAL SHIPPING REQUIREMENTS**—These services are available to enhance delivery to your customers. Please call for pricing.

- **APPOINTMENT REQUIRED: Carrier will call delivery contact and mutually agree upon delivery appointment. This is not a guaranteed time/date.**
- **LIFTGATE: Carrier uses liftgate/ramp to get product to ground level when facility does not have a dock. Facility is responsible for taking product once at ground level.**
- **INSIDE DELIVERY: Carrier unloads product and delivers inside the first set of doors only, provided entrance to facility can accommodate freight as packaged (including skids) and there are no steps.**
- **MIDMARK DELIVERY SERVICE: Carrier sets product in place per the delivery contact. Carrier is responsible for assembling product and removal of all packaging, trash and skids from the delivery site (Synthesis® Cabinetry does not include installation).**

4. **FREIGHT DAMAGE**—Merchandise arriving with external damage should be so described on the bill of lading. In case of concealed damage, carrier must be notified within five days after receipt and claims for damage instituted.

5. **ORDER CHANGES**—All changes must be submitted in writing. Any changes made within five days of the order shipping will result in the order being moved to the next available ship date.

6. **ORDER CANCELLATION**—Any order, if cancelled within 10 days before the scheduled shipping date, will be charged a 20% cancellation charge.

7. **RETURN OF MERCHANDISE**— A Return Material Authorization (RMA) must be obtained for the return of any item. If return is authorized, transportation charges must be prepaid. Risk of loss with respect to returned goods shall remain with purchaser until receipt by Midmark. Items returned for credit are subject to a charge of 25% or more to cover inspection, damage in transit, reconditioning and repacking. Items may be returned within 6 months (except service parts within 90 days) from the original ship date if properly packaged and in a good, unused condition. RMA # should be written on the outside of the packaging. Diagnostic products may be returned within 30 days if in a good, unused condition and in original sealed packaging.

Note: Certain items are non-returnable: Specials, Synthesis Cabinetry, Midmark® Workstations, Discontinued Items or Parts, Custom or Non-Standard Colors, Service Upholstery and Service Parts if value is less than \$50, and Diagnostic Consumables; e.g., Electrodes, all Disposable Items and Diagnostic Items valued less than \$50 per item.

8. **SPECIAL ORDER REQUIREMENTS**—Any order requiring any special deviation from standard products will carry the following disclaimer:

We hereby accept and acknowledge the above captioned order. However, because of the special nature of this order in that this equipment is being supplied upon special design specifications, special materials and/or field modifications, as per your request, the standard warranties of Midmark and Ritter on its products are not applicable to this order, and this acceptance and acknowledgment is conditioned upon your indemnification and promise to hold Midmark and Ritter, its officers, employees and agents, harmless in respect to any and all warranty claims, damages, both direct and consequential, expenses, costs and any liability arising from the use of or relating to this special equipment.

9. **IMPROVE PRODUCT QUALITY**—Midmark Corporation reserves the right to change design and construction without notice.

Midmark® + Ritter® Medical Equipment (Tables, Chairs, Physician Seating, Lights and Sterilizers) Limited Warranty

SCOPE OF WARRANTY: Midmark Corporation ("Midmark") warrants to the original retail purchaser that it will, at Midmark's option, repair or replace components of the domestic and international medical products manufactured by Midmark (except for components not warranted under "Exclusions") that are defective in material or workmanship under normal use and service. The sole remedy under this limited warranty is the repair or replacement, at Midmark's option, of the applicable components. This limited warranty shall only apply to defects that are reported to Midmark within the applicable warranty period and which are determined to exist upon examination by Midmark. This warranty extends only to the original retail purchaser of a product and is not transferable or assignable. Replacement components or products may be used and/or refurbished components or products, provided they are of like quality and specifications as new components or products.

Midmark warrants to the original retail purchaser that during the applicable warranty period it will repair or replace software contained within the products manufactured by Midmark (except for those not warranted under "Exclusions") if: (1) the media on which the software is furnished exhibits defects in material or workmanship under normal use; or (2) the software does not substantially conform to its published specifications.

APPLICABLE WARRANTY PERIOD: The applicable warranty period, measured from the date of invoice to the original retail purchaser of the product and shall be one (1) year for all warranted products and components. QuickClean® Ultrasonic Cleaners are warranted for a period of three (3) years.

OBTAINING WARRANTY SERVICE: Warranty service must be obtained through either Midmark or an authorized dealer in the Midmark product line for which warranty service is requested. Midmark may be contacted for warranty service inquiries or issues via email at midmark.com; by phone at 1.800.MIDMARK or by mail to Midmark Corporation, 60 Vista Drive, Versailles, Ohio 45380.

It is the retail purchaser's obligation to arrange for delivery of a product to Midmark or one of its authorized dealers for warranty service, which delivery shall be at retail purchaser's expense. It is also the retail purchaser's obligation to comply with the warranty service instructions provided either by Midmark or its authorized dealer. The retail purchaser must provide Midmark with completed warranty registration information within thirty (30) days after purchase in order to obtain the benefits of this limited warranty.

EXCLUSIONS: This limited warranty does not cover and Midmark shall not be liable for the following:

- (1) Defects, damage or other conditions caused, in whole or in part, by misuse, abuse, negligence, alteration, accident, freight damage, negligent storage, tampering or failure to seek and obtain repair or replacement in a timely manner;
- (2) Products which are not installed, used, and properly cleaned and maintained as required or recommended in the Midmark "Installation" and/or "Installation/Operation Manual" for the applicable product, including the specified structural and operational environmental conditions and electrical requirements;
- (3) Products considered to be of a consumable or sterile nature;
- (4) Accessories or parts not manufactured by Midmark;
- (5) Charges by anyone for adjustments, repairs, replacement parts, installation or other work performed upon or in connection with such products which are not expressly authorized in writing in advance by Midmark;
- (6) Costs and expenses of routine maintenance and cleaning; and
- (7) Representations and warranties made by any person or entity other than Midmark.
- (8) Matching of color, grain or texture except to commercially acceptable standards;
- (9) Changes in color caused by natural or artificial light;
- (10) Custom manufactured products;
- (11) Alterations or modifications to the product by any person or entity other than Midmark; and
- (12) Products that would otherwise be covered under this limited warranty, but are acquired: (i) from a person or entity that is not Midmark or one of its authorized dealers; or (ii) from a Midmark dealer that is not authorized to sell the product at issue in the geographic territory where the purchaser is located, or is not authorized to sell the product at issue within the medical market.

SOFTWARE; WITH RESPECT TO SOFTWARE THAT IS A PRODUCT OR COMPONENT THEREOF, MIDMARK DOES NOT WARRANT THAT THE SOFTWARE: (1) IS ERROR FREE; (2) CAN BE USED WITHOUT PROBLEMS OR INTERRUPTIONS; OR (3) IS FREE FROM VULNERABILITY TO INTRUSION OR ATTACK BY VIRUSES OR OTHER METHODS.

EXCLUSIVE REMEDY; CONSEQUENTIAL DAMAGES DISCLAIMER: MIDMARK'S ONLY OBLIGATION UNDER THIS LIMITED WARRANTY IS THE REPAIR OR REPLACEMENT OF DEFECTIVE PARTS. MIDMARK SHALL NOT BE LIABLE FOR AND HEREBY DISCLAIMS ANY DIRECT, SPECIAL, INDIRECT, INCIDENTAL, EXEMPLARY OR CONSEQUENTIAL DAMAGES OR DELAYS, INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFITS OR INCOME, LOSS OF USE, LOSS OF DATA, DOWNTIME, COVER AND EMPLOYEE OR INDEPENDENT CONTRACTOR WAGES, PAYMENTS AND BENEFITS. THIS DISCLAIMER SHALL SURVIVE ANY FAILURE OR ASSERTED FAILURE OF THE ESSENTIAL PURPOSE OF THIS LIMITED WARRANTY OR ITS REMEDIES SPECIFIED HEREIN.

WARRANTY DISCLAIMER: THIS WARRANTY IS MIDMARK'S ONLY WARRANTY AND IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED. MIDMARK MAKES NO IMPLIED WARRANTIES OF ANY KIND INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THIS WARRANTY IS LIMITED TO THE REPAIR OR REPLACEMENT OF DEFECTIVE PARTS.

STATUTE OF LIMITATIONS: No action may be brought against Midmark for breach of this limited warranty, an implied warranty, if any, or for any other claim arising out of or relating to the products, more than ninety (90) days following expiration of the limited warranty period.

NO AUTHORIZATION: No person or firm is authorized to create or approve for Midmark any other obligation or liability in connection with the products.

Warranty information included in product manuals.



Midmark® 641

Procedure Chair

- Power height, back, foot and tilt
- 450 lb patient weight capacity
- 22" - 40" seat height from the floor (non-rotation models)
- 25.5" - 43.5" seat height adjustment from the floor (rotation models)
- Perimeter contouring for maximum access to patient
- 7" flip-out foot extension
- Wired hand and foot control standard
- Paper roll holder standard (holds 18" x 3.5" paper roll)
- Choice of Premium/Premium UltraFree seamless upholstery
- Chair weight: 450 lb
- Shipping weight: 500 lb

Model

Standard Models

641-002
002-0966-00-XXX⁶

Description

Procedure Chair Non-Programmable w/o receptacle, w/o top
Upholstery top - Premium

641-002
002-10147-XXX⁶

Procedure Chair Non-Programmable w/o receptacle, w/o top
641 Premium UltraFree 24" Upholstery top

641-003
002-0966-00-XXX⁶

Procedure Chair Programmable w/receptacle, w/o top
Upholstery top - Premium

641-003
002-10147-XXX⁶

Procedure Chair Programmable w/receptacle, w/o top
641 Premium UltraFree 24" Upholstery top

Rotation Models

641-004
002-0966-00-XXX⁶

Procedure Chair Non-Programmable w/rotation, w/o top
Upholstery top - Premium

641-004
002-10147-XXX⁶

Procedure Chair Non-Programmable w/rotation, w/o top
641 Premium UltraFree 24" Upholstery top

641-005
002-0966-00-XXX⁶

Procedure Chair Programmable w/rotation, w/o top
Upholstery top - Premium

641-005
002-10147-XXX⁶

Procedure Chair Programmable w/rotation, w/o top
641 Premium UltraFree 24" Upholstery top

Accessories	Description
Arms/Armboards	
9A396001-XXX ^{3,5,6}	Chair arms
9A396001-XXX ^{3,6}	Chair arms, UltraFree upholstery
9A81001-XXX ^{5,6}	Articulating armboard
9A82001-XXX ^{5,6}	Hand surgery armboard
Casters	
9A330001 ¹	Caster base, swivel wheels
9A365001 ¹	Casters
Controls	
9A408001 ²	Wireless control, non-programmable, linear-style, plant installed
9A408002 ²	Wireless control, programmable, linear-style, plant installed
9A408003 ²	Wireless control, non-programmable, linear-style, field installed
9A408004 ²	Wireless control, programmable, linear-style, field installed
Headrests	
9A374001-XXX ^{5,6}	Contoured headrest, Premium upholstery
9A374001-XXX ⁶	Contoured headrest, Ultrafree upholstery
9A378001-XXX ^{5,6}	Flat headrest, Premium upholstery
9A378001-XXX ⁶	Flat headrest, UltraFree upholstery
9A382001-XXX ^{5,6}	U-shaped headrest, Premium upholstery
9A382001-XXX ⁶	U-shaped headrest, UltraFree upholstery
9A386001-XXX ^{5,6}	Oval-shaped headrest, Premium upholstery
9A386001-XXX ⁶	Oval-shaped headrest, UltraFree upholstery
9A390001-XXX ^{5,6}	Rectangular-shaped headrest, Premium upholstery
9A390001-XXX ⁶	Rectangular-shaped headrest, UltraFree upholstery
Instrument Trays/Work Shelves/IV Poles	
9A427002 ⁷	Swing arm instrument tray, extension top
9A267003 ⁴	Instrument tray, double arm
9A77001 ⁴	IV pole
Miscellaneous	
9A152010	3' power cord
9A205003	Base rails, plant installed
9A205004	Base rails, field installed
9A406001	Security straps, plant installed
9A406002	Security straps, field installed
9A78001-XXX ^{4,5,6}	Vision block screen
9A416001	Foot section plastic cover
002-0966-00-999	Upholstery top - Premium Special Color
Extended Warranties	
XX-EP-641-D ⁸	Parts Only Plan
XX-EPL-641-D ⁸	Parts and Labor Plan

¹ - Not available on rotation models
² - Accessory supplied with hand and foot control (batteries included)
³ - Interference with armboard accessories will likely occur
⁴ - Requires 9A20500X base rail
⁵ - Additional charge for Special, Premium UltraFree for accessory
⁶ - See color palette on page 19
⁷ - Not compatible on same side as 9A20500X base rail
⁸ - One year term - 01, two year term - 02, three year term - 03, four year term - 04



Midmark® 630

HUMANFORM® Procedure Chair

- Power height, back, foot and tilt
- Motion Profiling® adjusts the chair as the patient moves to help maintain head and back support, and reduce the need for the patient to reposition as the chair back raises or lowers
- Active Sensing Technology® pauses chair movement when disrupting impact is detected
- Barrier-free design
- 650 lb patient weight capacity
- 19" - 40" seat height adjustment from the floor (non-rotation models)
- 22.5" - 43.5" seat height adjustment from the floor (non-rotation)
- Hand and foot controls standard
- Available in 28" or 32" upholstery widths
- Chair weight: 450 lb
- Shipping weight: 525 lb

Model Non-Programmable

Description

630-010 002-10108-XXX ⁸	Procedure Chair Non-Programmable w/receptacle, w/o top 630 Premium 28" Upholstery top
630-010 002-10114-XXX ⁸	Procedure Chair Non-Programmable w/receptacle, w/o top 630 Premium UltraFree 28" Upholstery top
630-011 002-10108-XXX ⁸	Procedure Chair Non-Programmable wireless, w/receptacle, w/o top 630 Premium 28" Upholstery top
630-011 002-10114-XXX ⁸	Procedure Chair Non-Programmable wireless, w/receptacle, w/o top 630 Premium UltraFree 28" Upholstery top

Non-Programmable with Rotation

630-012 002-10108-XXX ⁸	Procedure Chair Non-Programmable w/rotation, w/o top 630 Premium 28" Upholstery top
630-012 002-10114-XXX ⁸	Procedure Chair Non-Programmable w/rotation, w/o top 630 Premium UltraFree 28" Upholstery top
630-013 002-10108-XXX ⁸	Procedure Chair Non-Programmable wireless, w/rotation, w/o top 630 Premium 28" Upholstery top
630-013 002-10114-XXX ⁸	Procedure Chair Non-Programmable wireless, w/rotation, w/o top 630 Premium UltraFree 28" Upholstery top

Model Programmable

630-020 Procedure Chair Programmable w/receptacle, w/o top
002-10108-XXX⁸ 630 Premium 28" Upholstery top

630-020 Procedure Chair Programmable, w/receptacle, w/o top
002-10114-XXX⁸ 630 Premium UltraFree 28" Upholstery top

630-021 Procedure Chair Programmable wireless, w/receptacle, w/o top
002-10108-XXX⁸ 630 Premium 28" Upholstery top

630-021 Procedure Chair Programmable wireless, w/receptacle, w/o top
002-10114-XXX⁸ 630 Premium UltraFree 28" Upholstery top

Programmable with Rotation

630-022 Procedure Chair Programmable, w/rotation, w/o top
002-10108-XXX⁸ 630 Premium 28" Upholstery top

630-022 Procedure Chair Programmable, w/rotation, w/o top
002-10114-XXX⁸ 630 Premium UltraFree 28" Upholstery top

630-023 Procedure Chair Programmable wireless, w/rotation, w/o top
002-10108-XXX⁸ 630 Premium 28" Upholstery top

630-023 Procedure Chair Programmable wireless, w/rotation, w/o top
002-10114-XXX⁸ 630 Premium UltraFree 28" Upholstery top

Upholstery Options

002-10108-999 Upholstery top - 28" wide Premium Special Color
002-10114-999 Upholstery top - 28" wide UltraFree Special Color

002-10112-XXX⁸ Upholstery top - 32" wide Premium
002-10112-999 Upholstery top - 32" wide Premium Special Color

002-10116-XXX⁸ Upholstery top - 32" wide UltraFree
002-10116-999 Upholstery top - 32" wide UltraFree Special Color

Accessories

Description

Arm Systems/Armboards

9A550001-XXX ^{7,8}	Chair arms, 28" wide Premium upholstery
9A550001-XXX ⁸	Chair arms, 28" wide UltraFree upholstery
9A550005-XXX ^{7,8}	Chair arms, 32" wide Premium upholstery
9A550005-XXX ⁸	Chair arms, 32" wide UltraFree upholstery
9A81001-XXX ^{2,7,8}	Articulating armboard
9A82001-XXX ^{2,7,8}	Hand surgery armboard

Controls (additional)

9A552001	Wired hand control, non-programmable, field installed
9A553001	Wired foot control, non-programmable, field installed
9A552002	Wired hand control, programmable, field installed
9A553002	Wired foot control, programmable, field installed

Headrests

9A496001-XXX ^{7,8}	Rectangular-shaped headrest, Premium upholstery
9A496001-XXX ⁸	Rectangular-shaped headrest, UltraFree upholstery
9A500001-XXX ^{7,8}	Oval-shaped headrest, Premium upholstery
9A500001-XXX ⁸	Oval-shaped headrest, UltraFree upholstery
9A512001-XXX ^{7,8}	U-shaped headrest, Premium upholstery
9A512001-XXX ⁸	U-shaped headrest, UltraFree upholstery
9A683001-XXX ^{7,8}	Standard headrest, Premium upholstery
9A683001-XXX ⁸	Standard headrest, UltraFree upholstery
9A684001-XXX ^{7,8}	Extended headrest, Premium upholstery
9A684001-XXX ⁸	Extended headrest, UltraFree upholstery

Instrument Trays/Work Shelves/IV Poles

9A267003 ³	Instrument tray, double arm
9A77001 ³	IV pole

Knee Crutches

9A411001 ⁴	Articulating knee crutches (crutches only)
9A411002 ⁴	Articulating knee crutch system
9A412001 ⁴	Knee crutch mounting brackets (brackets only)

Accessory Rails

9A521001	Seat accessory rails, surgical size, 28" wide upholstery, plant installed
9A522001	Seat accessory rails, surgical size, 32" wide upholstery, plant installed
9A567001	Seat accessory rails, surgical size, 28" wide upholstery, field installed
9A568001	Seat accessory rails, surgical size, 32" wide upholstery, field installed
9A557001	Accessory rails, 28" wide upholstery, field installed
9A558001	Accessory rails, surgical size, 28" wide upholstery, field installed
9A557002	Accessory rails, 32" wide upholstery, field installed
9A558002	Accessory rails, surgical size, 32" wide upholstery, field installed

Miscellaneous

9A554001 ¹	Casters - set of 4
9A152010	3' power cord
9A157003 ²	Security side panels
9A559001 ⁵	Security straps, field installed
9A555001	Gynecology debris tray accessory
9A556001	Gynecology debris tray (tray only)
9A78001-XXX ^{6,7,8}	Vision block screen
AD 1779 ¹	Tamper-resistant duplex receptacle

Extended Warranties

XX-EP-630-D ⁹	Parts Only Plan
XX-EPL-630-D ⁹	Parts and Labor Plan

¹ - Not available on rotation models

² - Requires (1) 9A557001/9A557002 accessory rails

³ - Requires (1) 9A557001/9A557002/9A558001/9A558002 accessory rails

⁴ - Not compatible with 9A521001, 9A522001, 9A567001 or 9A568001 seat rails

⁵ - Requires (1) 9A557001/9A557002/9A558001/9A558002 accessory rails AND (1) 9A521001/9A522001/9A567001/9A568001 seat rails

⁶ - Requires (1) 9A557001/9A557002/9A558001/9A558002 accessory rails OR (1) 9A521001/9A522001/9A567001/9A568001 seat rails "

⁷ - Additional charge for Special, UltraFree color for accessory

⁸ - See color palette on page 19

⁹ - One year term - 01, two year term - 02, three year term - 03, four year term - 04



Midmark® 647

Podiatry Chair

- Power height, tilt and back
- 450 lb patient weight capacity
- 22" - 40" seat height from the floor (non-rotation models)
- 25.5" - 43.5" seat height adjustment from the floor (rotation models)
- 9" foot section extension
- Sealed wired foot control standard
- Integrated touch controls standard
- Contoured, upholstered chair arms
- Choice of Premium Seamless or UltraFree upholstery
- Protective foot cover standard with upholstery
- Chair weight: 433 lb (non-rotation models)
- Shipping weight: 515 lb (non-rotation models)
- Chair weight: 539 lb (rotation models)
- Shipping weight: 621 lb (rotation models)

Model	Description
647-001 002-1119-XXX ⁴	Podiatry Chair non-programmable w/receptacles, w/o top Upholstery top - Premium
647-001 002-10129-XXX ⁴	Podiatry Chair non-programmable w/receptacles, w/o top 646/647 Premium UltraFree 28" Upholstery top
647-002 002-1119-XXX ⁴	Podiatry Chair programmable w/receptacles, w/o top Upholstery top - Premium
647-002 002-10129-XXX ⁴	Podiatry Chair programmable w/receptacles, w/o top 646/647 Premium UltraFree 28" Upholstery top
647-003 002-1119-XXX ⁴	Podiatry Chair non-programmable w/rotation, w/o receptacles and top Upholstery top - Premium
647-003 002-10129-XXX ⁴	Podiatry Chair non-programmable w/rotation, w/o receptacles and top 646/647 Premium UltraFree 28" Upholstery top
647-004 002-1119-XXX ⁴	Podiatry Chair programmable w/rotation, w/o receptacles and top Upholstery top - Premium
647-004 002-10129-XXX ⁴	Podiatry Chair programmable w/rotation, w/o receptacles and top 646/647 Premium UltraFree 28" Upholstery top

Accessories	Description
Instrument Trays/Work Shelves/IV Poles	
9A427002 ⁵	Swing arm instrument tray, extension top
9A267003 ²	Instrument tray, double arm
9A77001 ²	IV Pole
Casters	
9A330001 ¹	Caster base, swivel wheels
9A365001 ¹	Casters
Miscellaneous	
9A418001	Wireless foot control, non-programmable, linear-style, plant installed
9A418002	Wireless foot control, non-programmable, linear-style, field installed
9A418003	Wireless foot control, programmable, linear-style, plant installed
9A418004	Wireless foot control, programmable, linear-style, field installed
9A422001-XXX ^{3,4}	Vision block screen
9A420001	Plastic protective foot cover
9A423001	Paper roll holder
9A205003	Base rails, plant installed
9A205004	Base rails, field installed
9A152010	3' power cord
002-1119-999	Upholstery top - Premium Special Color
Extended Warranties	
XX-EP-647-D ⁶	Parts Only Plan
XX-EPL-647-D ⁶	Parts and Labor Plan

¹ - Not available on rotation models

² - Requires 9A20500X base rail

³ - Additional charge for Special or UltraFree accessory

⁴ - See color palette on page 19

⁵ - Not compatible on same side as 9A20500X base rail

⁶ - One year term - 01, two year term - 02, three year term - 03, four year term - 04

Midmark® 646

Podiatry Chair



- Power tilt and back
- 450 lb patient weight capacity
- 21" fixed seat height
- 9" foot section extension
- Sealed wired foot control standard
- Integrated touch controls standard
- Contoured, upholstered chair arms
- Choice of Premium Seamless or UltraFree upholstery
- Protective foot cover standard with upholstery
- Chair weight: 323 lb
- Shipping weight: 405 lb

Model	Description
646-001 002-1119-XXX ³	Podiatry Chair non-programmable w/receptacles, w/o top Upholstery top - Premium

646-001 002-10129-XXX ³	Podiatry Chair non-programmable w/ receptacles, w/o top 646/647 Premium UltraFree 28" Upholstery top
---------------------------------------	--

Accessories	Description
Instrument Trays/Work Shelves/IV Poles	
9A427002 ⁴	Swing arm instrument tray, extension top
9A267003 ¹	Instrument tray, double arm
9A77001 ¹	IV Pole

Casters	
9A330001	Caster base, swivel wheels
9A365001	Casters

Miscellaneous	
9A422001-XXX ^{2,3}	Vision block screen
9A420001	Plastic protective foot cover
9A205003	Base rails, plant installed
9A205004	Base rails, field installed
9A152010	3' power cord
002-1119-999	Upholstery top - Premium Special Color

Extended Warranties	
XX-EP-646-D ⁵	Parts Only Plan
XX-EPL-646-D ⁵	Parts and Labor Plan

¹ - Requires 9A20500X base rail

² - Additional charge for Special or UltraFree Upholstery color for accessory

³ - See color palette on page 19

⁴ - Not compatible on same side as 9A20500X base rail

⁵ - One year term - 01, two year term - 02, three year term - 03, four year term - 04



Midmark® 626

Barrier-Free® Examination Chair

- 650 lb weight capacity
- Low seat height of 15.5" (uncompressed) to 37" high from the floor
- Clean Assist Roller System
- Power base and back
- Hand and foot controls standard
- Digital Scale (-003 and -004 models)
- Heated upholstery options (-002, -004 and -006 models)
- Quick Exam® and Return to Home
- Active Sensing Technology®
- Mist and Stone chair base color
- Lockout of hand and foot controls
- Chair weight: 435 lb
- Shipping weight: 485 lb

Model	Description
626-001 002-2000-XXX ¹	Barrier-Free Examination Chair w/Clean Assist Roller System, receptacles, drawer heater, pelvic tilt, wired controls, w/o top 626 Premium 28" Upholstery top
626-001 002-2002-XXX ¹	Barrier-Free Examination Chair w/Clean Assist Roller System, receptacles, drawer heater, pelvic tilt, wired controls, w/o top 626 Premium 32" Upholstery top
626-001 002-2004-XXX ¹	Barrier-Free Examination Chair w/Clean Assist Roller System, receptacles, drawer heater, pelvic tilt, wired controls, w/o top 626 Premium UltraFree 28" Upholstery top
626-002 002-2006-XXX ¹	Barrier-Free Examination Chair w/ Clean Assist Roller System, receptacles, drawer heater, pelvic tilt, wired controls, heated upholstery options, w/o top 626 Premium 28" Heated Upholstery top
626-002 002-10201-XXX ¹	Barrier-Free Examination Chair w/ Clean Assist Roller System, receptacles, drawer heater, pelvic tilt, wired controls, heated upholstery options, w/o top 626 Premium 32" Heated Upholstery top

Model	Description
626-002 002-2011-XXX ¹	Barrier-Free® Examination Chair w/ Clean Assist Roller System, receptacles, drawer heater, pelvic tilt, wired controls, heated upholstery options, w/o top 626 Premium UltraFree Heated 28" Upholstery top
626-003 002-2000-XXX ¹	Barrier-Free Examination Chair w/ Clean Assist Roller System, Digital Scale, receptacles, drawer heater, pelvic tilt, wireless controls, w/o top 626 Premium 28" Upholstery top
626-003 002-2002-XXX ¹	Barrier-Free Examination Chair w/ Clean Assist Roller System, Digital Scale, receptacles, drawer heater, pelvic tilt, wireless controls, w/o top 626 Premium 32" Upholstery top
626-003 002-2004-XXX ¹	Barrier-Free Examination Chair w/ Clean Assist Roller System, Digital Scale, receptacles, drawer heater, pelvic tilt, wireless controls, w/o top 626 Premium UltraFree 28" Upholstery top
626-004 002-2006-XXX ¹	Barrier-Free Examination Chair w/ Clean Assist Roller System, Digital Scale, heated upholstery options, receptacles, drawer heater, pelvic tilt, wireless controls, w/o top 626 Premium 28" Heated Upholstery top
626-004 002-10201-XXX ¹	Barrier-Free Examination Chair w/ Clean Assist Roller System, Digital Scale, heated upholstery options, receptacles, drawer heater, pelvic tilt, wireless controls, w/o top 626 Premium 32" Heated Upholstery top
626-004 002-2011-XXX ¹	Barrier-Free Examination Chair w/ Clean Assist Roller System, Digital Scale, heated upholstery options, receptacles, drawer heater, pelvic tilt, wireless controls, w/o top 626 Premium UltraFree Heated 28" Upholstery top

Model	Description
626-005 002-2000-XXX ¹	Barrier-Free® Examination Chair w/ Clean Assist Roller System, Digital Scale, receptacles, drawer heater, pelvic tilt, wired controls, w/o top 626 Premium 28" Upholstery top
626-005 002-2002-XXX ¹	Barrier-Free Examination Chair w/ Clean Assist Roller System, Digital Scale, receptacles, drawer heater, pelvic tilt, wired controls, w/o top 626 Premium 32" Upholstery top
626-005 002-2004-XXX ¹	Barrier-Free Examination Chair w/ Clean Assist Roller System, Digital Scale, receptacles, drawer heater, pelvic tilt, wired controls, w/o top 626 Premium UltraFree 28" Upholstery top
626-006 002-2006-XXX ¹	Barrier-Free Examination Chair w/ Clean Assist Roller System, Digital Scale, heated upholstery options, receptacles, drawer heater, pelvic tilt, wired controls, w/o top 626 Premium 28" Heated Upholstery top
626-006 002-10201-XXX ¹	Barrier-Free Examination Chair w/ Clean Assist Roller System, Digital Scale, heated upholstery options, receptacles, drawer heater, pelvic tilt, wired controls, w/o top 626 Premium 32" Heated Upholstery top
626-006 002-2011-XXX ¹	Barrier-Free Examination Chair w/ Clean Assist Roller System, Digital Scale, heated upholstery options, receptacles, drawer heater, pelvic tilt, wired controls, w/o top 626 Premium UltraFree 28" Heated Upholstery top

Model	Description
Arm Systems	
9A600002 ²	Patient Support Rails+, field installed
9A600001 ²	Patient Support Rails, field installed
9A582001	Patient Support Rails, receiver extension - pair; field install for 32" wide upholstery top
Knee Crutches	
9A645001	Articulating knee crutch kit w/ acc. receiver, field install
9A641001	Mounting brackets, hardware w/ acc. receiver, field install
Vital Signs Accessories	
9A478001	Digital Scale serial cable for Digital Vital Signs Device, 6' length, coiled
9A478002	Digital Scale serial cable for Digital Vital Signs Device, 15' length, straight
9A478003	Digital Scale serial cable for Digital Vital Signs Device, 30' length, straight
9A478004	Digital Scale serial cable for Digital Vital Signs Device, 50' length, straight
002-10064-00	626 chair connectivity kit
Miscellaneous	
9A677001	Wireless hand and foot controls
9A610001	Stainless steel treatment pan
002-2015-XXX ¹	626 Premium UltraFree 32" upholstery top
002-10203-XXX ¹	626 Premium UltraFree heated 32" upholstery top
002-2008-XXX ¹	224/225/626 Flat 28" upholstery top
002-10361-XXX ¹	224/225/626 Flat UltraFree 28" upholstery top
002-10494-XXX ¹	224/225/626 Premium Thick Footrest Pad
002-10495-XXX ¹	224/225/626 Premium UltraFree Thick Footrest Pad
Extended Warranties	
XX-EP-626-D ³	Parts Only Plan
XX-EPL-626-D ³	Parts and Labor Plan

¹ - See color palette on page 19

² - 9A582001 receiver extensions required for use with 32" wide upholstery top

³ - One year term - 01, two year term - 02, three year term - 03, four year term - 04



Midmark® 640

Pediatric Examination Table

- Pebble grey base and panel color only
- An upholstered end panel and beveled sides designed to help prevent falls
- Flat sides with no sharp edges
- Accurate and precise built-in scale
- Ample storage and a hidden paper roll holder
- 42" W x 51.5" H x 23" D
- Table weight: 170 lb
- Shipping weight: 210 lb
- Working height from the floor: 35.8" (90.8 cm)
- Table Top Length: 41.9" (106.4 cm)
- Table Top Depth: 20.8" (52.7 cm)


Model	Description
640-001-XXX ^{1,2}	Pediatric Examination Table w/ digital scale
640-001-999	Pediatric Examination Table w/ digital scale - special color
640-002-XXX ^{1,2}	Pediatric Examination Table w/ door and drawer lock with digital scale, plant installed
640-002-999	Pediatric Examination Table w/ door and drawer lock with digital scale, plant installed - special color

¹ Additional charge for UltraFree Upholstery/Accessory Color

² See color palette on page 19

Upholstery Color Palette

XXX - XXX - XXX























Example:
630-010 Chair
002-10108-843 Top
630 HUMANFORM® Procedure Chair - Oasis, Premium Upholstery Top

Example: 276-001-814
 276 Physician Seating, Stone Upholstery











Standard Upholstery Colors

Color is an important part of establishing your distinct brand. It's more than visual appeal. Color can transform your space into something you won't just see, but you will feel, too. We offer many upholstery color selections to complement the look, feel and intended function of your space.

 Mist-813	 Healing Waters-848
 Stone-814	 Shaded Garden-853
 Restful Path-858	 Citrus-849
 Iron Ore-851	 Sandy Retreat-850
 Lunar Gray-845	 Curative Copper-846
 Obsidian-857	 Cranberry-859
 Oasis-843	 Dark Linen-856
 Soothing Blue-855	 Latte-860
 Dream-847	 Robust Brown-852
 Mineral-844	 Deep Earth-854

UltraFree Upholstery Colors

There is nothing quite like the rich feel of leather, but it's too difficult to clean and maintain to be practical in the clinical environment. With UltraFree upholstery, you can have the look and feel of leather with PVC-free material. And now with seamless application, it is easier to clean and disinfect.

 UltraFree Stone-865	 UltraFree Spice-863
 UltraFree Restful Path-868	 UltraFree Cranberry-869
 UltraFree Obsidian-867	 UltraFree Dark Linen-866
 UltraFree Harbor-861	 UltraFree Latte-870
 UltraFree Wheatgrass-862	 UltraFree Branch-864



Ritter® 230

Procedure Chair

- Power height, back, foot and tilt
- 450 lb patient weight capacity
- 22" - 40" seat height from the floor (non-rotation models)
- 25.5" - 43.5" seat height adjustment from the floor (rotation models)
- Knee-chest configurable
- Wired hand control standard
- Chair weight: 455 lb
- Shipping weight: 525 lb

Model	Description
230-001 002-0824-XXX ⁵	Procedure Chair w/o top 230 Seamless Upholstery top
230-001 002-10133-XXX ⁵	Procedure Chair w/o top 230 Seamless UltraFree 28" Upholstery top
230-002 002-0824-XXX ⁵	Procedure Chair w/ receptacle, w/o top 230 Seamless Upholstery top
230-002 002-10133-XXX ⁵	Procedure Chair w/ receptacle, w/o top 230 Seamless UltraFree 28" Upholstery top
230-003 002-0824-XXX ⁵	Procedure Chair w/ rotation, w/o top 230 Seamless Upholstery top
230-003 002-10133-XXX ⁵	Procedure Chair w/ rotation, w/o top 230 Seamless UltraFree 28" Upholstery top

Accessories

Arm Systems/Armboards

Accessories	Description
9A328001	Adjustable arm system, plant installed
9A328002	Adjustable arm system, field installed
9A350001	Adjustable arm system (receiver only), plant installed
9A350002	Adjustable arm system (receiver only), field installed
9A350003	Adjustable arm system (arms only)
9A81001-XXX ^{4,5}	Articulating armboard
9A82001-XXX ^{4,5}	Hand surgery armboard

Casters

9A330001 ^{1,2}	Caster base, swivel wheels
9A365001 ²	Casters

Controls

9A371003	Foot control, linear style
----------	----------------------------

Headrests/Footrests

9A337001-XXX ^{4,5}	Larger 24" wide footrest
9A51001-XXX ^{4,5}	Facial pad

Instrument Trays/Work Shelves/IV Poles

9A427002	Swing arm instrument tray, extension top
9A267003 ³	Instrument tray, double arm
9A77001 ³	IV pole

Knee Crutches

9A411001	Articulating knee crutches (crutches only)
9A411002	Articulating knee crutch system
9A412001	Knee crutch mounting brackets (brackets only)

Miscellaneous

9A152010	3' Power Cord
9A157003	Security side panels
9A205003	Base rails, plant installed
9A205004	Base rails, field installed
9A214002	Security straps, field installed
9A329003 ²	Urology drain system, plant installed
9A329004 ²	Urology drain system, field installed
9A78001-XXX ^{3,4,5}	Vision block screen
002-0824-999	Seamless Upholstery top Special Color
002-0950-XXX ⁵	Flat Upholstery top, 24" width
002-0950-999	Flat Upholstery top, 24" width Special Color
002-10135-XXX ⁵	Flat UltraFree Upholstery top, 24" width

Extended Warranties

XX-EP-230-D ⁶	Parts Only Plan
XX-EPL-230-D ⁶	Parts and Labor Plan

¹ - Not compatible with 9A337001

² - Not available on rotation models

³ - Requires 9A20500X base rail

⁴ - Additional charge for Special, UltraFree accessory

⁵ - See color palette on page 19

⁶ - One year term - 01, two year term - 02, three year term - 03, four year term - 04



Ritter® 244

Barrier-Free® Examination Table

- Power height, back and tilt
- Reverse Trendelenburg position
- 850 lb patient weight capacity
- 18" to 34" seat height adjustment
- 32" wide seat
- Wired hand control standard
- Table weight: 340 lb
- Shipping weight: 400 lb

Model

Description

244-001
002-0861-XXX¹ Barrier-Free Examination Table w/o top
Seamless 32" Upholstery top

244-001
002-10174-XXX¹ Barrier-Free Examination Table w/o top
Seamless UltraFree 32" Upholstery top

Accessories

9A627001 Adjustable arm system, field installed
9A346001 Casters
9A347001 Foot control
9A152010 3' Power Cord

Miscellaneous

002-0861-999 Seamless 32" Upholstery Top Special Color

Extended Warranties

XX-EP-244-D² Parts Only Plan
XX-EPL-244-D² Parts and Labor Plan

¹ - See color palette on page 19

² - One year term - 01, two year term - 02, three year term - 03, four year term - 04



Ritter® 225

Barrier-Free® Examination Chair

- 500 lb weight capacity
- Low seat height of 18" (uncompressed) to 37" high from the floor
- Power base and back
- Wired foot control standard
- Active Sensing Technology®
- Mist chair base color
- Chair weight: 409 lb
- Shipping weight: 465 lb

Model	Description
225-002 002-2009-XXX ¹	Barrier-Free Examination Chair w/ receptacles, drawer heater, pelvic tilt, w/o top 224/225 Seamless 28" Upholstery top
225-002 002-2008-XXX ¹	Barrier-Free Examination Chair w/ receptacles, drawer heater, pelvic tilt, w/o top 224/225/626 Flat 28" Upholstery top
225-002 002-2013-XXX ¹	Barrier-Free Examination Chair w/ receptacles, drawer heater, pelvic tilt, w/o top 224/225 Seamless UltraFree 28" Upholstery top
225-003 002-2009-XXX ¹	Barrier-Free Examination Chair w/ Clean Assist Roller System, receptacles, drawer heater, pelvic tilt, w/o top 224/225 Seamless 28" Upholstery top
225-003 002-2008-XXX ¹	Barrier-Free Examination Chair w/ Clean Assist Roller System, receptacles, drawer heater, pelvic tilt, w/o top 224/225/626 Flat 28" Upholstery top
225-003 002-2013-XXX ¹	Barrier-Free Examination Chair w/ Clean Assist Roller System, receptacles, drawer heater, pelvic tilt, w/o top 224/225 Seamless UltraFree 28" Upholstery top
Arm Systems	
9A600002	Patient Support Rails+, Field Installed
9A600001	Patient Support Rails, Field Installed
9A615001	Assist Arms
Knee Crutches	
9A645001	Articulating Knee Crutch Kit w/ Acc. Receiver, Field Install
9A641001	Mounting Brackets, Hardware w/ Acc. Receiver, Field Install
Miscellaneous	
9A610001	Stainless Steel Treatment Pan
9A638001	Supply Assistant
9A681001	225 Hand Control Accessory
002-10361-XXX ¹	224/225/626 Flat UltraFree 28" Upholstery top
002-10494-XXX ¹	224/225/626 Premium Thick Footrest Pad
002-10495-XXX ¹	224/225/626 Premium UltraFree Thick Footrest Pad

Extended Warranties

XX-EP-225-D ²	Parts Only Plan
XX-EPL-225-D ²	Parts and Labor Plan

¹ - See color palette on page 19

² - One year term - 01, two year term - 02, three year term - 03, four year term - 04



Ritter® 224

Barrier-Free® Examination Chair

- 500 lb weight capacity
- Low seat height of 18" (uncompressed) to 37" high from the floor
- Power base
- Wired foot control standard
- Active Sensing Technology® (-002 and -003 models)
- Chair weight: 409 lb
- Shipping weight: 465 lb

Model	Description
224-001 002-2009-XXX ¹	Barrier-Free Examination Chair - excludes drawer and debris tray w/o top 224/225 Seamless 28" Upholstery top
224-001 002-2008-XXX ¹	Barrier-Free Examination Chair - excludes drawer and debris tray w/o top 224/225/626 Flat 28" Upholstery top
224-001 002-2013-XXX ¹	Barrier-Free Examination Chair - excludes drawer and debris tray w/o top 224/225 Seamless UltraFree 28" Upholstery top
224-002 002-2009-XXX ¹	Barrier-Free Examination Chair w/ receptacles, drawer heater, pelvic tilt, w/o top 224/225 Seamless 28" Upholstery top
224-002 002-2008-XXX ¹	Barrier-Free Examination Chair w/ receptacles, drawer heater, pelvic tilt, w/o top 224/225/626 Flat 28" Upholstery top
224-002 002-2013-XXX ¹	Barrier-Free Examination Chair w/ receptacles, drawer heater, pelvic tilt, w/o top 224/225 Seamless UltraFree 28" Upholstery top
224-003 002-2009-XXX ¹	Barrier-Free Examination Chair w/ Clean Assist Roller System, receptacles, drawer heater, pelvic tilt w/o top 224/225 Seamless 28" Upholstery top
224-003 002-2008-XXX ¹	Barrier-Free Examination Chair w/ Clean Assist Roller System, receptacles, drawer heater, pelvic tilt w/o top 224/225/626 Flat 28" Upholstery top
224-003 002-2013-XXX ¹	Barrier-Free Examination Chair w/ Clean Assist Roller System, receptacles, drawer heater, pelvic tilt w/o top 224/225 Seamless UltraFree 28" Upholstery top

Model	Description
Arm Systems	
9A600002	Patient Support Rails+, field installed
9A600001	Patient Support Rails, field installed
9A615001	Assist arms
Knee Crutches	
9A645001	Articulating knee crutch kit w/ acc. receiver, field install
9A641001	Mounting brackets, hardware w/ acc. receiver, field install
Miscellaneous	
9A610001	Stainless steel treatment pan
9A638001	Supply assistant
002-10361-XXX ¹	224/225/626 flat UltraFree 28" upholstery top
002-10494-XXX ¹	224/225/626 Premium thick Footrest Pad
002-10495-XXX ¹	224/225/626 Premium UltraFree thick Footrest Pad
Extended Warranties	
XX-EP-224-D ²	Parts Only Plan
XX-EPL-224-D ²	Parts and Labor Plan

¹ - See color palette on page 19

² - One year term - 01, two year term - 02, three year term - 03, four year term - 04



Ritter® 204

Manual Examination Table

- 500 lb patient weight capacity
- Duplex, hospital-grade electrical receptacle (left side)
- Styled Seamless or Soft Touch stitched upholstery
- Pass-through drawer design, no need to specify RH or LH
- Manual back with air-spring assist
- Please specify upholstery/drawer panel color
- Mist table base color
- Table weight: 250 lb
- Shipping weight: 300 lb
- Fixed table height from the floor: 33"

Model	Description
204-011 002-10137-XXX ²	Manual examination table w/o top 204 Soft Touch 28" upholstery top
204-011 002-10138-XXX ²	Manual examination table w/o top 204 Upholstery top - Styled, Seamless
204-011 002-10143-XXX ²	Manual examination table w/o top 204 Seamless UltraFree 28" upholstery top
204-012 002-10137-XXX ²	Manual examination table w/ drawer heater, pelvic tilt w/o top 204 Soft Touch 28" upholstery top
204-012 002-10138-XXX ²	Manual examination table w/ drawer heater, pelvic tilt w/o top 204 Upholstery top - Styled, Seamless
204-012 002-10143-XXX ²	Manual examination table w/ drawer heater, pelvic tilt w/o top 204 Seamless UltraFree 28" upholstery top

Accessories	Description
Arm/Handle Systems	
9A627001 ¹	Adjustable arm system (arms only)
9A632001 ¹	Assist handles (handles only), field installed
9A632002	Accessory receivers only, plant installed
9A632003	Accessory receivers only, field installed
Knee Crutches	
9A411001	Articulating knee crutch only field installed
9A411004	Articulating knee crutch kit with accessory receiver field installed
9A412003	Mounting brackets, hardware with accessory receiver field installed
Miscellaneous	
9A372001	Pass-through drawer stop (set of 3)
9A70000	Stainless steel treatment pan
002-10141-XXX ²	Flat Stitched Upholstery w/o pillow
002-10145-XXX ²	Flat UltraFree Upholstery top w/o pillow
002-10193-00-XXX ²	Thick Footrest Pad kit (for Soft-Touch and Flat uph)
002-10194-00-XXX ²	Thick Footrest Pad kit (for Seamless/UltraFree uph)

¹ - 9A632002 or 9A632003 accessory receiver required

² - See color palette on page 19



Ritter® 203

Treatment Table

- 400 lb patient weight capacity
- 27" W x 74" L x 31" H
- Please specify upholstery/panel color
- Panels match upholstery color
- Table weight: 135 lb
- Shipping weight: 170 lb

Model

203-011-XXX^{1,2}
203-012-XXX^{1,2}

Description

Manual treatment table standard
Manual treatment table w/drawers


Miscellaneous

203-011-999
203-012-999

Manual treatment table standard - special color
Manual treatment table w/drawers - special color

¹ - Additional charge for UltraFree Upholstery/Accessory

² - See color palette on page 19



Ritter® 95

Treatment Table

- 350 lb patient weight capacity
- 27" W x 72" L x 30" H
- Please specify upholstery color
- Frame available in a dark oak finish only
- Paper roll holder included (holds 21" x 3.5" paper roll)
- Table weight: 80 lb
- Shipping weight: 100 lb

Model

95-001-XXX^{1,2}
95-001-999

Description

Manual treatment table w/o shelf
Manual treatment table w/o shelf - special color

Accessories

9A364001-XXX^{1,2}
9A364001-999

Description

Shelf (field installed only)
Shelf special color

¹ - Additional charge for UltraFree Upholstery/Accessory

² - See color palette on page 19



Midmark® 425

Physician Seating (Hand Operated)

- Weight capacity: 225 lb
- Stool weight: 20 lb
- Shipping weight: 25 lb

Model

425-001
002-0273-XXX^{1,2}

Accessories

002-0274-XXX^{1,2}
002-0275-XXX^{1,2}
002-1546-00

Description

Basic stool w/o seat cushion
Seat cushion

Back kit
Arm kit
Lab height w/ black foot ring (425 only)

¹ - See color palette on page 19

² - Additional charge for Special or UltraFree Upholstery/Accessory Color



Midmark® 427

Physician Seating (Foot Operated)

- Weight capacity: 225 lb
- Stool weight: 20 lb
- Shipping weight: 25 lb

Model

427-001
002-0273-XXX^{1,2}

Accessories

002-0274-XXX^{1,2}
002-0275-XXX^{1,2}

Description

Basic stool w/o seat cushion
Seat cushion

Back kit
Arm kit

¹ - See color palette on page 19

² - Additional charge for Special or UltraFree Upholstery/Accessory color



Ritter® 279

Physician Seating (Hand Operated)

- Chrome five leg base
- Weight capacity: 225 lb
- Stool weight: 30 lb
- Shipping weight: 35 lb

Model

Description

279-001-XXX^{1,2}

Basic stool w/hand release - pneumatically adjustable



Ritter® 278

Physician Seating (Foot Operated)

- Chrome five leg base
- Weight capacity: 225 lb
- Stool weight: 30 lb
- Shipping weight: 35 lb

Model

Description

278-001-XXX^{1,2}

Basic stool w/foot release - pneumatically adjustable



hand release

Ritter® 277

Physician Seating with Backrest

- Chrome five leg base
- Weight capacity: 225 lb
- Stool weight: 20 lb
- Shipping weight: 25 lb

Model

Description

277-001-XXX^{1,2}
277-201-XXX^{1,2}

Basic stool w/back - pneumatically adjustable, hand release
Basic stool w/back - pneumatically adjustable, foot release



foot release



hand release

Ritter® 276

Physician Seating

- Chrome five leg base
- Weight capacity: 350 lb
- Stool weight: 15 lb
- Shipping weight: 20 lb

Model

Description

276-001-XXX^{1,2}
276-201-XXX^{1,2}

Basic stool - pneumatically adjustable, hand release
Basic stool - pneumatically adjustable, foot release



foot release

¹ - See color palette on page 19

² - Additional charge for Special or UltraFree Upholstery color



Ritter® 275

Physician Seating with Backrest

- Chrome five leg base
- Weight capacity: 225 lb
- Stool weight: 20 lb
- Shipping weight: 25 lb

Model
275-001-XXX^{1,2}

Description
Basic stool w/back - manually adjustable



Ritter® 274

Physician Seating

- Chrome five leg base
- Weight capacity: 350 lb
- Stool weight: 15 lb
- Shipping weight: 20 lb

Model
274-001-XXX^{1,2}

Description
Basic stool - manually adjustable



Ritter® 273

Physician Seating with Backrest

- Black composite five leg base
- Weight capacity: 225 lb
- Stool weight: 20 lb
- Shipping weight: 25 lb

Model
273-001-XXX^{1,2}

Description
Basic stool w/back - pneumatically adjustable



Ritter® 272

Physician Seating

- Black composite five leg base
- Weight capacity: 300 lb
- Stool weight: 15 lb
- Shipping weight: 20 lb

Model
272-001-XXX^{1,2}

Description
Basic stool - pneumatically adjustable

¹ - See color palette on page 19

² - Additional charge for Special or UltraFree Upholstery color



Model
271-001-XXX^{1,2}

Ritter® 271

Physician Seating with Backrest

- Black composite five leg base
- Weight capacity: 225 lb
- Stool weight: 20 lb
- Shipping weight: 25 lb

Description

Basic stool w/back - manually adjustable



Model
270-001-XXX^{1,2}

Ritter® 270

Physician Seating

- Black composite five leg base
- Weight capacity: 300 lb
- Stool weight: 15 lb
- Shipping weight: 20 lb

Description

Basic Stool - manually adjustable

Model

Miscellaneous

9A366001-XXX^{1,2}

27X-002-XXX^{1,2}

27X-003-XXX^{1,2}

27X-004-XXX^{1,2}

27X-005-XXX^{1,2}

9A367001

9A368001

Description

Back rest kit (weight capacity, 225 lb)

Set of soft rubber casters

Set of glides (not available on foot release models)

Set of locking casters

Auto locking casters

Foot ring, field installed (not available on foot release models)

6" lab height ext. kit (not available on foot release models)

¹ - See color palette on page 19

² - Additional charge for Special or UltraFree Upholstery/Accessory color



Ritter® 280

Side Chair

- 400 lb patient weight capacity
- Wall-saver, kickback rear leg design
- Leveling feet
- Chair weight: 25 lb
- Shipping weight: 35 lb

Model

280-001-XXX¹
280-001-XXX¹
280-002-XXX¹
280-002-XXX¹

Description

Basic chair (without arms)
Basic chair (without arms) UltraFree upholstery
Basic chair (with arms)
Basic chair (with arms) UltraFree upholstery

Miscellaneous

280-001-999 Basic chair Special Color (without arms)
280-002-999 Basic chair Special Color (with arms)

¹ - See color palette on page 19



Ritter® 282

Bariatric Side Chair

- 650 lb patient weight capacity
- Wall-saver, kickback rear leg design
- Leveling feet
- Chair weight: 37 lb
- Shipping weight: 47 lb

Model

282-001-XXX¹
282-001-XXX¹

Description

Basic chair
Basic chair UltraFree upholstery

Miscellaneous

282-001-999 Basic chair Special Color

¹ - See color palette on page 19



Ritter® 281

Blood Draw Chair

- 400 lb patient weight capacity
- Optional storage drawer
- Chair weight: 60 lb
- Shipping weight: 75 lb



Model

281-011-XXX¹

281-011-XXX¹

281-012-XXX¹

281-012-XXX¹

Miscellaneous

281-011-999

281-012-999

Description

Basic chair (without storage drawer)

Basic chair (without storage drawer) UltraFree upholstery

Basic chair (with storage drawer)

Basic chair (with storage drawer) UltraFree upholstery

Basic chair (without storage drawer)

Basic chair (with storage drawer)

¹ - See color palette on page 19



Mobile Procedure Light



Single Procedure Light



Dual Procedure Light



Wall Mount

Ritter® 255

LED Procedure Light

- 4,400 K color temperature
- Color Rendering Index (CRI) greater than 95
- 7,500 fc intensity (80,700 lux) at 1 meter (39") focal length
- Effortless positioning
- Weight: 65 lb (118 lb for dual light)
- Shipping weight: 120 lb (190 lb for dual light)

Model

255-001
255-002

Description

Single mount, 8' ceiling
Single mount, 9' ceiling

255-003
255-004

Dual mount, 8' ceiling
Dual mount, 9' ceiling

255-005

Mobile Procedure Light

255-006

Wall Mount

Accessories

002-1865-00^{2,3}
9A584001¹

10' ceiling mount adapter kit
Conversion kit w/cover (single to double light)

Extended Warranties

XX-EP-255-D⁴
XX-EPL-255-D⁴

Parts Only Plan
Parts and Labor Plan

¹ - To convert an existing single light to a dual light, this conversion kit must be ordered in addition to a second 8' or 9' light

² - Converts an 8' or 9' light to a 10' ceiling height

³ - One required per light arm

⁴ - One year term - 01, two year term - 02, three year term - 03, four year term - 04

The following model numbers are recommended based on the following ceiling heights (measured from the bottom of the ceiling surface to the floor):

Less than 8'

255-005

Mobile Procedure Light

8' to 9'

255-001, 255-003

8' Single or Dual Procedure Light

9' to 10'

255-002, 255-004

9' Single or Dual Procedure Light

Greater than 10'

255-001, 255-003, 255-005

8' Single or Dual Light with 10' ceiling mount adapter kit(s)
or Mobile Procedure Light



Mobile Caster Stand Kit

Ritter® 253

LED Exam Light

- LED technology for up to 50,000 hours of useful life
- Designed to provide a considerable reduction in operating cost over the life of the LED
- 4,500 K color temperature
- 1,550 fc intensity (16,500 lux) at 16" focal length
- Sleek, ergonomic and easy-to-clean design
- Mist color
- Weight of light unit: 6 lb (253-012 light kit including bracket)
- Shipping weight: 8 lb (253-012 light kit including bracket)



Exam Chair Kit

Model	Description
253-011	LED Exam Light - light only - excludes mounting hardware
253-012 ³	LED Exam Light - exam chair kit - models 204/22X*/62X* - includes light, splines and chair mounting hardware, field installed
253-013 ²	LED Exam Light - exam chair kit - model 626 for 32" upholstery and Patient Support Rails - includes light, splines and chair mounting hardware, field installed
253-015	LED Exam Light - procedure chair kit - models 230/641/646/647 - includes light, base rail and chair mounting hardware, field installed
253-016	LED Exam Light - mobile caster stand kit - includes light and caster stand
253-017	LED Exam Light - wall mount kit - includes light, wall mounting bracket and hardware, field installed

Miscellaneous

9A619001	LED exam chair mounting hardware (only) - models 204/22X*/604/62X* - field installed
9A620001	LED exam chair mounting hardware (only) - model 626 w/ 32" upholstery - field installed
9A622001	LED procedure chair mounting hardware (only) - models 230/641/646/647 - field installed
9A624001	LED 630 procedure chair spline mounting hardware (only), 28" wide upholstery, field installed
9A625001	LED 630 procedure chair spline mounting hardware (only), 32" wide upholstery, field installed
9A626001 ¹	LED 630 procedure chair rail mount hardware (only), field installed
9A459001	Disposable light sheaths; 5 boxes of 25 per carton
9A628001	LED light mobile caster stand (only)
9A623001	LED wall mount bracket (only)

Extended Warranties

XX-EP-253-D ⁴	Parts Only Plan
XX-EPL-253-D ⁴	Parts and Labor Plan

* Mounts to chairs with a 2006 or newer manufacture date

¹ - Requires (1) accessory rail 9A557001 or 9A557002

² - Use 253-013 with Patient Support Rails

³ - Slight interference with Patient Support Rails, use 253-013 to minimize

⁴ - One year term - 01, two year term - 02, three year term - 03, four year term - 04



Caster Base Accessory

Ritter® 250

LED Exam Light

- LED technology for up to 25,000 hours of useful life
- Designed to consume 45-60% less energy than other lights
- 4,000 K color temperature
- 1,800 fc intensity (19,375 lux) at 18" focal length
- Mist color
- Exam light weight: 20 lb
- Shipping weight: 25 lb

Model	Description
250-003	LED exam light
9A621001	Caster base accessory

Extended Warranties	
XX-EP-250-D ¹	Parts Only Plan
XX-EPL-250-D ¹	Parts and Labor Plan

¹ - One year term - 01, two year term - 02, three year term - 03, four year term - 04

Midmark® Diagnostic Medical Products (ECG and Vital Signs) Limited Warranty

SCOPE OF WARRANTY

Midmark Corporation ("Midmark") warrants to the original retail purchaser that it will repair or replace devices manufactured by Midmark (except for those not warranted under "Exclusions") that are defective in material or workmanship under normal use and service. Midmark's obligation under this warranty is limited to the repair or replacement, at Midmark's option, of applicable devices. This limited warranty shall only apply to defects that are reported to Midmark within the applicable warranty period and which, upon examination by Midmark, prove to be defective. This warranty extends only to the original retail purchaser of a product, and is not transferable or assignable.

Midmark warrants to the original retail purchaser that it will repair or replace software contained within the products manufactured by Midmark (except for those not warranted under "Exclusions") if: (1) the media on which the software is furnished exhibits defects in material or workmanship under normal use; or (2) the software does not substantially conform to its published specifications. Midmark does not warrant that the software: (1) is error free; (2) can be used without problems or interruptions; or (3) is free from vulnerability to intrusion or attack by viruses or other methods. Midmark also agrees to provide the original retail purchaser with software updates, if any, that become generally available to the public within the warranty period stated, for the specific product owned by the purchaser.

APPLICABLE WARRANTY PERIOD

The applicable warranty period, measured from the date of delivery to the original retail purchaser, shall be as follows:

- (a) One (1) year for software and diagnostic devices (unless otherwise noted below and except items listed under "Exclusions"),
- (b) Two (2) years for vital signs devices and Midmark Digital ECG,
- (c) One (1) year for reusable blood pressure cuffs and SpO₂ sensors,
- (d) Ninety (90) days for all other accessories (sold in a product kit or purchased separately),

OBTAINING WARRANTY SERVICE

Warranty service must be obtained through Midmark. Contact Midmark Technical Service for warranty service inquiries or issues by phone at 1.844.856.1230, option 2, or via email at: techsupport@midmark.com

It is the original retail purchaser's obligation to arrange for delivery of a product to Midmark for warranty service or exchange. It is also the original retail purchaser's obligation to comply with the warranty service instructions provided by Midmark.

EXCLUSIONS

This warranty does not cover and Midmark shall not be liable for the following:

- (1) any product that has been repaired, modified, or tampered with by any person or entity other than Midmark;
- (2) any product for which any label or tag attached to the product has been removed or tampered with;
- (3) defects, damage, or other conditions caused, in whole or in part, by misuse, abuse, negligence, alteration, accident, freight damage, tampering, or failure to seek and obtain repair or replacement in a timely manner;
- (4) products which are not installed, used, and properly cleaned and maintained as stated in the Midmark Installation, User Guide and/or Operation Manual for the applicable product;
- (5) products considered to be of a consumable nature;
- (6) accessories or parts covered by the respective original manufacturers' warranty, including but not limited to treadmills, computers, printers, scales, carts, mounting options and carrying cases, after the initial 90 days;
- (7) charges by anyone for adjustments, repairs, replacement parts, installation, or other work performed upon or in connection with such products which are not expressly authorized in writing in advance by Midmark;
- (8) costs and expenses of routine maintenance and cleaning;
- (9) representations and warranties made by any person or entity other than Midmark; and
- (10) items provided through sales promotions.

EXCLUSIVE REMEDY; CONSEQUENTIAL DAMAGES DISCLAIMER

MIDMARK'S ONLY OBLIGATION UNDER THIS WARRANTY IS THE REPAIR OR REPLACEMENT OF DEFECTIVE PARTS. MIDMARK SHALL NOT BE LIABLE FOR AND HEREBY DISCLAIMS ANY DIRECT, SPECIAL, INDIRECT, INCIDENTAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES OR DELAYS, INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFITS OR INCOME, LOSS OF DATA, LOSS OF USE, DOWNTIME, COVER, AND EMPLOYEE OR INDEPENDENT CONTRACTOR WAGES, PAYMENTS, AND BENEFITS.

NO AUTHORIZATION

No person or firm is authorized to create or approve for Midmark any other obligation or liability in connection with the products.

WARRANTY DISCLAIMER

THIS WARRANTY IS MIDMARK'S ONLY WARRANTY AND IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED. MIDMARK MAKES NO IMPLIED WARRANTIES OF ANY KIND INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THIS WARRANTY IS LIMITED TO THE REPAIR OR REPLACEMENT OF DEFECTIVE PARTS.

THIS WARRANTY WILL BE VOID IF ANY COVERED PRODUCT IS REPAIRED, MODIFIED, OR TAMPERED WITH BY ANY PERSON OR ENTITY OTHER THAN MIDMARK, OR IF ANY LABEL OR TAG ATTACHED TO A COVERED PRODUCT IS REMOVED OR TEMPERED WITH.

STATUTE OF LIMITATIONS

No action may be brought against Midmark for breach of this limited warranty, an implied warranty, if any, or for any other claim arising out of or relating to the products, more than ninety (90) days following expiration of the limited warranty period. In the event multiple warranty periods exist with respect to a product, the ninety (90) day period provided for herein shall begin to run from expiration of the warranty period for the component to which the claim relates.

Midmark® Digital Diagnostic Devices Part Number Ordering Information

Note: Midmark recommends that all Midmark devices drop-ship directly to the customer.

TO ORDER:

Midmark devices require either an electronic medical record (EMR) that has integrated Midmark software or Midmark IQmanager® Software to operate. Devices include, but are not limited to, the part numbers shown below:

4-000-0080
4-000-0724
4-000-0722
4-000-0720
4-000-0624
4-000-0622
4-000-0620
4-000-0550
4-000-0540

If the customer *currently has* an EMR software package that has integrated Midmark software, no additional software is required.

Place an order for the appropriate device(s) and please provide:

- EMR name and version
- Customer facility and contact name, address and phone
- Customer computer environment (Thin Client, Fat Client)

If the customer *does not have* an EMR, or **is** using Altera TouchWorks™ EHR, Epic® EMR, AthenaPractice/AthenaFlow or Cerner®, please contact your local Midmark Representative to order the appropriate Midmark software solution. Additional charges or license fees will apply.

For ordering questions regarding Midmark devices, please contact your local Midmark Representative or call 844.856.1230, option 2.

Allscripts TouchWorks EHR, Epic EMR and AthenaHealth, AthenaPractice/AthenaFlow or Cerner are not trademarks of Midmark Corporation and are the sole property of their respective owners.

Midmark HEINE® Diagnostic Instruments Limited Warranty

SCOPE OF WARRANTY

Midmark Corporation ("Midmark") warrants to the original retail purchaser that it will, at Midmark's option, repair or replace diagnostic instruments manufactured by HEINE and sold by Midmark (except for those not warranted under "Exclusions") that are defective in material or workmanship under normal use and service. The sole remedy under this limited warranty is the repair or replacement, at Midmark's option, of the applicable components. This limited warranty shall only apply to defects that are reported to Midmark within the applicable warranty period and which are determined to exist upon examination by Midmark. This warranty extends only to the original retail purchaser of a product and is not transferable or assignable. Replacement components or products may be used and/or refurbished components or products, provided they are of like quality and specifications as new components or products.

APPLICABLE WARRANTY PERIOD

The applicable warranty period, measured from the date of invoice to the original retail purchaser of the product shall be as follows:

- (1) Ten (10) years for diagnostic instruments (other than GAMMA G5 Sphygmomanometers) manufactured by HEINE and sold by Midmark;
- (2) Five (5) years for GAMMA G5 Sphygmomanometers manufactured by HEINE and sold by Midmark; and
- (3) Twelve (12) months on parts and labor.

OBTAINING WARRANTY SERVICE

Warranty service must be obtained through Midmark. Midmark may be contacted for warranty service inquiries or issues via email at midmark.com, by phone at 1.844.856.1230, option 3 or by mail to Midmark Corporation, 60 Vista Drive, Versailles, Ohio 45380. It is the retail purchaser's obligation to arrange for delivery of a product to Midmark or one of its authorized dealers for warranty service, which delivery shall be at retail purchaser's expense. It is also the retail purchaser's obligation to comply with the warranty service instructions provided either by Midmark or its authorized dealer. The retail purchaser must provide Midmark with completed warranty registration information within thirty (30) days after purchase in order to obtain the benefits of this limited warranty.

EXCLUSIONS:

This limited warranty does not cover and Midmark shall not be liable for the following:

- (1) Defects, damage or other conditions caused, in whole or in part, by misuse, abuse, negligence, alteration, accident, freight damage, negligent storage, tampering or failure to seek and obtain repair or replacement in a timely manner;
- (2) Products which are not installed, used and properly cleaned and maintained as required or recommended in the Midmark "Installation" and/or "Installation/Operation Manual" for the applicable product, including the specified structural and operational environmental conditions and electrical requirements;
- (3) Normal wear and tear
- (4) Fire or theft
- (5) Products considered to be single-use items or consumables (e.g. bulbs, cuffs and batteries)
- (6) Rechargeable batteries and batteries
- (7) Use of non-original HEINE spare parts
- (8) Exposed and accessible control and supply cables with corresponding plug connection
- (9) Charges by anyone for adjustments, repairs, replacement parts, installation or other work performed upon or in connection with such products which are not expressly authorized in writing in advance by Midmark;
- (10) Costs and expenses of routine maintenance and cleaning;
- (11) Representations and warranties made by any person or entity other than Midmark.
- (12) Custom manufactured products;
- (13) Alterations or modifications to the product by any person or entity other than Midmark; and
- (14) Products that would otherwise be covered under this limited warranty, but are acquired: (i) from a person or entity that is not Midmark or one of its authorized dealers; or (ii) from a Midmark dealer that is not authorized to sell the product at issue in the geographic territory where the purchaser is located, or is not authorized to sell the product at issue within the medical market

EXCLUSIVE REMEDY; CONSEQUENTIAL DAMAGES DISCLAIMER

MIDMARK'S ONLY OBLIGATION UNDER THIS LIMITED WARRANTY IS THE REPAIR OR REPLACEMENT OF DEFECTIVE PARTS. MIDMARK SHALL NOT BE LIABLE FOR AND HEREBY DISCLAIMS ANY DIRECT, SPECIAL, INDIRECT, INCIDENTAL, EXEMPLARY OR CONSEQUENTIAL DAMAGES OR DELAYS, INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFITS OR INCOME, LOSS OF USE, LOSS OF DATA, DOWNTIME, COVER AND EMPLOYEE OR INDEPENDENT CONTRACTOR WAGES, PAYMENTS AND BENEFITS. THIS DISCLAIMER SHALL SURVIVE ANY FAILURE OR ASSERTED FAILURE OF THE ESSENTIAL PURPOSE OF THIS LIMITED WARRANTY OR ITS REMEDIES SPECIFIED HEREIN.

WARRANTY DISCLAIMER

THIS WARRANTY IS MIDMARK'S ONLY WARRANTY AND IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED. MIDMARK MAKES NO IMPLIED WARRANTIES OF ANY KIND INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THIS WARRANTY IS LIMITED TO THE REPAIR OR REPLACEMENT OF DEFECTIVE PARTS.

STATUTE OF LIMITATIONS

No action may be brought against Midmark for breach of this limited warranty, an implied warranty, if any, or for any other claim arising out of or relating to the products, more than ninety (90) days following expiration of the limited warranty period.

NO AUTHORIZATION

No person or firm is authorized to create or approve for Midmark any other obligation or liability in connection with the products.

*Warranty information included in product manuals

HEINE is a registered trademark of HEINE Optotechnik GmbH + Co. KG.

Midmark® Medical Diagnostic Products Support Information

For technical assistance with a Midmark medical diagnostic product, please contact Technical Service at 844.856.1230.

Select: Option 2 – for Digital Vital Signs Device, IQvitals® Zone™, Midmark Digital ECG, Software, Supplies and Midmark IQcart® Diagnostic Equipment Cart. Available Monday-Friday, 8:00 am – 8:00 pm, ET.

Select: Option 3 – for Diagnostic Instrument Wall/Desktop Kits, Instrument Replacement Parts and Supplies (Otoscope/Ophthalmoscope) and Sphygmomanometer Kits. Available 8:00 am – 7:00 pm Monday-Thursday and 8:00 am – 5:00 pm Friday, ET.

For troubleshooting tips and product use information, refer to the operation manual. Additional help topics, self-guided user tools and documentation can be accessed at any time through our support section and knowledge base at midmark.com.

Return Material Authorization

To return any product for repair, an Return Material Authorization (RMA) number must be obtained from a Midmark Technical Service Specialist. The RMA number should be referenced on the package(s) containing the items to be returned.

Shipping

Before shipping any product to Midmark, be certain that an RMA number has been issued and that all guidelines regarding this authorization are followed. We highly recommend that you follow all guidelines for the shipment of medical products set forth by the shipping company you choose to use. If a question should arise regarding the appropriate method of shipment, please feel free to ask when calling for your RMA number. It is the responsibility of the customer when shipping a product to ensure that all packages and their contents get to Midmark safely.

Midmark will not assume responsibility for damage incurred by improper packaging, shipment or product use. Such actions will void all applicable warranties.

Midmark IQvitals® Zone™ Vital Signs Wireless Monitor

with Touchscreen, Serenity BP™ and Exergen® TemporalScanner®
- Includes Spot, Averaging, SPRINT and Custom BP Modes



Shown with IQvitals® Zone™
Mobile Cart Option

Mobile cart not included in pricing

- 1 - IQvitals Zone Wireless Monitor
- 1 - Reusable Dual Tube BP Cuff – Adult (26-35cm)
- 1 - Reusable Dual Tube BP Cuff – Large Adult (32-42cm)
- 1 - Dual Tube BP Hose – 6.5'
- 1 - Exergen TemporalScanner Thermometer
- 1 - Exergen Disposable Caps (10 ea)
- 1 - IQvitals Zone Wireless USB Dongle
- 1 - IQvitals Zone USB Cable – 10'
- 1 - IQvitals Zone Laptop Tray – 15"
- 1 - Front Storage Bin Kit
- 1 - Device to Temperature Module Cable
- 1 - Three-Arm Knobs (Set of 2)
- 1 - AC Power Supply
- 1 - Setup Guide
- 1 - Quick Reference Guide
- 1 - QR Code Sheet

Model	Description
4-000-0724	IQvitals Zone, Wireless Monitor, with Serenity BP, Exergen TemporalScanner and Masimo® SpO ₂
4-000-0722	IQvitals Zone, Wireless Monitor, with Serenity BP, Exergen TemporalScanner and Nellcor™ SpO ₂
4-000-0720	IQvitals Zone, Wireless Monitor, with Serenity BP and Exergen TemporalScanner

Exergen and TemporalScanner are registered trademarks of Exergen Corporation.

Masimo is a registered trademark of Masimo Corporation.

Nellcor is a trademark of Covidien AG.

Midmark IQvitals® Zone™ Non-Wireless Vital Signs Device

with Touchscreen, Serenity BP™ and Exergen® TemporalScanner®
- Includes Spot, Averaging, SPRINT and Custom BP Modes



Shown with IQvitals® Zone™
Mobile Cart Option

Mobile cart not included in pricing

- 1 - IQvitals Zone Vital Signs Device
- 1 - Reusable Dual Tube BP Cuff – Adult (26-35cm)
- 1 - Reusable Dual Tube BP Cuff – Large Adult (32-42cm)
- 1 - Dual Tube BP Hose – 6.5'
- 1 - Exergen TemporalScanner Thermometer
- 1 - Exergen Disposable Caps (10 ea)
- 1 - IQvitals Zone USB Cable – 10'
- 1 - IQvitals Zone Laptop Tray – 15"
- 1 - Front Storage Bin Kit
- 1 - Device to Temperature Module Cable
- 1 - Three-Arm Knobs (Set of 2)
- 1 - AC Power Supply
- 1 - Setup Guide
- 1 - Quick Reference Guide
- 1 - QR Code Sheet

Model	Description
4-000-0624	IQvitals Zone, non-Wireless, with Serenity BP, Exergen TemporalScanner and Masimo® SpO ₂
4-000-0622	IQvitals Zone, non-Wireless, with Serenity BP, Exergen TemporalScanner and Nellcor™ SpO ₂
4-000-0620	IQvitals Zone, non-Wireless, with Serenity BP and Exergen TemporalScanner

Exergen and TemporalScanner are registered trademarks of Exergen Corporation.

Masimo is a registered trademark of Masimo Corporation.

Nellcor is a trademark of Covidien AG.

IQvitals® Zone™ Mounting Options

Model	Description
6216-001-813	Vital Signs Monitor Mobile Cart
2-200-0082	IQvitals Zone Wall Mount Articulating Arm
2-200-0086	Integrated Wall Mount for IQvitals Zone

IQvitals Zone Accessories + Supplies

Model	Description
1-100-1603	Fairbanks® TeleWeigh™ Digital Scale
3-200-0030	Blood Pressure Cuff, Dual Tube, Reusable, Child (13-20cm)
3-200-0031	Blood Pressure Cuff, Dual Tube, Reusable, Small Adult (18-26cm)
3-200-0032	Blood Pressure Cuff, Dual Tube, Reusable, Adult (26-35cm)
3-200-0033	Blood Pressure Cuff, Dual Tube, Reusable, Adult Long (29-38cm)
3-200-0034	Blood Pressure Cuff, Dual Tube, Reusable, Large Adult (32-42cm)
3-200-0035	Blood Pressure Cuff, Dual Tube, Reusable, Large Adult Long (35-44cm)
3-200-0036	Blood Pressure Cuff, Dual Tube, Reusable, Thigh (42-50cm)
2-200-0041	SpO ₂ Sensor, Reusable, Masimo®, Pediatric (RD Set DCI-P)
2-200-0040	SpO ₂ Sensor, Reusable, Masimo, Adult (RD SET DCI)
2-200-0042	SpO ₂ Patient Cable, Masimo (RD SET D20-05) - 4'
3-200-0007	SpO ₂ Sensor Kit, Reusable, Nellcor™, Pediatric (D-YS and D-YSPD)
2-200-0233	SpO ₂ Sensor, Reusable, Nellcor, Adult (DS100A)
2-200-0234	SpO ₂ Interface Cable, Nellcor (DOC4) - 4'
2-200-0115	Disposable Caps, Exergen Thermometer, 1000pc/box
2-200-0116	Disposable Caps, Exergen Thermometer, 100pc/box
2-200-0074	Storage Bin Kit, Dual, Cart Mounted
2-200-0084	Storage Bin Kit, Wall Mounted
3-200-0009	Tray, IQvitals Zone - 12"
3-200-0012	USB Dongle, IQvitals Zone Wireless
9A654001	Mobile Cart Scale Holder

Connectivity Supplies for Midmark® 626 Exam Chair

Model	Description
9A478001	Digital Scale serial cable for IQvitals®, 6' length, coiled
9A478002	Digital Scale serial cable for IQvitals, 15' length, straight
9A478003	Digital Scale serial cable for IQvitals, 30' length, straight
9A478004	Digital Scale serial cable for IQvitals, 50' length, straight
002-10064-00	626 Chair Connectivity Kit

Extended Warranty

XX-ER-Zone-D¹ Replacement Plan

¹ - One year term - 01, two year term - 02, three year term - 03

Fairbanks and TeleWeigh are trademarks of Fairbanks Scales, Inc.

Masimo is a registered trademark of Masimo Corporation.

Nellcor is a trademark of Covidien AG.



Midmark® Digital Vital Signs Device

with Touchscreen, Blood Pressure + Temporal Temperature

- 1 - Digital Vital Signs Device w/ Blood Pressure and Temperature
- 1 - AC Power Supply
- 1 - Reusable Blood Pressure Cuff - Adult
- 1 - Reusable Blood Pressure Cuff - Large Adult
- 1 - Blood Pressure Hose - 6.5'
- 1 - Exergen® TemporalScanner® Thermometer
- 1 - Exergen Disposable Caps (10 ea)
- 1 - USB Cable - 10'
- 1 - QR Code Sheet
- 1 - Quick Reference Guide

Model	Description
4-000-0540	Digital Vital Signs Device with Blood Pressure and Exergen TemporalScanner Thermometer

Digital Vital Signs Device with Touchscreen, Blood Pressure, Temperature + SpO₂

- 1 - Digital Vital Signs Device w/Blood Pressure, Temperature and SpO₂
- 1 - AC Power Supply
- 1 - Reusable Blood Pressure Cuff - Adult
- 1 - Reusable Blood Pressure Cuff - Large Adult
- 1 - Blood Pressure Hose - 6.5'
- 1 - Reusable SpO₂ Adult Finger Sensor
- 1 - SpO₂ Extender Cable - 4'
- 1 - Exergen TemporalScanner Thermometer
- 1 - Exergen Disposable Caps (10 ea)
- 1 - USB Cable - 10'
- 1 - QR Code Sheet
- 1 - Quick Reference Guide

Model	Description
4-000-0550	Digital Vital Signs Device with Blood Pressure, Exergen TemporalScanner Thermometer and SpO ₂

Exergen and TemporalScanner are registered trademarks of Exergen Corporation.

Midmark® Digital Vital Signs Device Accessories + Supplies

Model	Description
1-100-1603	Fairbanks® TeleWeigh™ Digital Scale
3-004-2010	Mobile Cart Scale Mount for Digital Vital Signs Device
3-009-0010	AC Power Supply
3-009-0012	Power Supply Adapter Kit
3-009-0014	Replacement Lithium Ion Battery for Digital Vital Signs Device
3-009-0016	USB Cable - 10'
3-009-0022	Blood Pressure Hose - 6.5'
3-009-0100	Blood Pressure Hose - 10'
3-009-0021	Reusable SpO ₂ Small Finger Sensor, Envitec
3-009-0020	Reusable SpO ₂ Adult Finger Sensor, Envitec
3-009-0026	SpO ₂ Extender Cable, 4', Envitec
2-200-0115	Disposable Caps, Exergen Thermometer, 1000pc/box
2-200-0116	Disposable Caps, Exergen Thermometer, 100pc/box
3-009-0068	Reusable Blood Pressure Cuff, Infant (8-14 cm)
3-009-0070	Reusable Blood Pressure Cuff, Child (13-20 cm)
3-009-0062	Reusable Blood Pressure Cuff, Small Adult (18-26 cm)
3-009-0064	Reusable Blood Pressure Cuff, Adult, Midmark (26-35 cm)
3-009-0066	Reusable Blood Pressure Cuff, Large Adult, Midmark (32-42 cm)
3-009-0072	Reusable Blood Pressure Cuff, Adult Long (29-38 cm)
3-009-0074	Reusable Blood Pressure Cuff, Large Adult Long (35-44 cm)
3-009-0076	Reusable Blood Pressure Cuff, Thigh (42-50 cm)
3-004-2000	Mobile Cart for Digital Vital Signs Device
3-009-0001	Countertop Mount for Digital Vital Signs Device
3-009-0003	Wall Mount with Basket for Digital Vital Signs Device
002-10592-00	Equipment Pole Mount for Digital Vital Signs Device
002-10974-00	Digital Vital Signs Device Exergen® TemporalScanner® Upgrade Kit

Extended Warranty

XX-ER-Vital-D¹ Replacement Plan

¹ - One year term - 01, two year term - 02, three year term - 03

Fairbanks and TeleWeigh are trademarks of Fairbanks Scales, Inc.

Exergen and TemporalScanner are trademarks of Exergen Corporation.

Connectivity Supplies for the Midmark® 626 Exam Chair

Model	Description
9A478001	Digital Scale serial cable for Digital Vital Signs Device, 6' length, coiled
9A478002	Digital Scale serial cable for Digital Vital Signs Device, 15' length, straight
9A478003	Digital Scale serial cable for Digital Vital Signs Device, 30' length, straight
9A478004	Digital Scale serial cable for Digital Vital Signs Device, 50' length, straight
002-10064-00	626 Chair Connectivity Kit*

*Not recommended for connecting Midmark® Digital Vital Signs Device to PC running Windows® 10 64-bit OS

Windows is a registered trademark of Microsoft Corporation.



Midmark® Digital ECG

- 1 - ECG Acquisition Module
- 1 - 10-Lead Patient Cable
- 1 - USB Cable
- 1 - 10/pack Clear ECG Clips
- 1 - 100/pack Disposable ECG Electrodes
- 1 - Operation Manual Flyer
- 1 - Quick Reference Guide

Model	Description
4-000-0080	Midmark Digital ECG

Extended Warranty

XX-ER-ECG-D¹ Replacement Plan

¹ - One year term - 01, two year term - 02, three year term - 03

Software

Please contact your local Midmark Sales Representative to order the appropriate Midmark software solution, including the new IQmanager® version 10.0.0 for non-EMR users.

ECG Supplies

Model	Description
3-047-0001	Universal ECG Clips (3 mm, 4 mm + Snap) 10/pack
3-047-0005	Clear ECG Clips (4 mm + Snap) 10/pack
015-11871-00	Patient Cable
2-100-0208	Disposable ECG Electrodes (box of 1,000)
2-100-0209	Disposable ECG Electrodes (case of 4 boxes - 1,000/box)
002-10937-00	Silicone Cover
015-11877-00	USB Cable



Midmark HEINE® Wall System Kits

Model	Description
A-095-12-930-166	EN 200 Wall Transformer with BETA® 400 LED Otoscope and BETA® 200 LED Ophthalmoscope + GAMMA™ XXL Sphygmomanometer + Tip Dispenser
A-095-12-931-166	EN 200 Wall Transformer with BETA 400 LED Otoscope and BETA 200 LED Ophthalmoscope + Tip Dispenser

Midmark HEINE Wall System Kit Accessories

Model	Description
X-095-12-006-166	Wallboard (for device combination of EN 200 + Tip Dispenser – no instruments)
X-095-12-007-166	Wallboard (for device combination of EN 200 + GAMMA XXL Sphygmomanometer + Tip Dispenser – no instruments)

HEINE and BETA are registered trademarks of HEINE Optotechnik GmbH + Co. KG.



Midmark HEINE® Diagnostic Instrument Wall Kits

- 1 - EN 200 Wall Transformer
- 1 - Otoscope with polycarbonate, 11.5' (3.5 m) corded handle
- 1 - Ophthalmoscope with polycarbonate, 11.5' (3.5 m) corded handle

Model	Description
A-095-12-208-166	EN 200 Wall Transformer with BETA® 400 LED Otoscope and BETA® 200 LED Ophthalmoscope
A-095-12-209-166	EN 200 Wall Transformer with BETA 200 LED Otoscope and BETA 200 LED Ophthalmoscope
A-095-12-210-166	EN 200 Wall Transformer with K180 XHL Otoscope and K180 XHL Ophthalmoscope

Midmark HEINE Diagnostic Instrument Wall Kit Accessories

Model	Description
X-095-12-006-166	Wallboard (for device combination of EN 200 + Tip Dispenser - no instruments)
X-095-12-007-166	Wallboard (for device combination of EN 200 + Tip Dispenser + GAMMA™ XXL Sphygmomanometer - no instruments)
B-000-11-149-166	AllSpec Tip Dispenser - white

HEINE and BETA are registered trademarks of HEINE Optotechnik GmbH + Co. KG.



Midmark HEINE® Diagnostic Instrument Desktop Kits

- 1 – NT4 Desktop Charger
- 1 – Otoscope with BETA NT 4, Lithium-ion rechargeable handle
- 1 – Ophthalmoscope with BETA NT 4, Lithium-ion rechargeable handle

Model	Description
A-853-24-420-166	NT4 Desktop Charger with BETA® 400 LED Otoscope and BETA® 200 LED Ophthalmoscope
A-832-24-420-166	NT4 Desktop Charger with BETA 200 LED Otoscope and BETA 200 LED Ophthalmoscope
A-879-23-420-166	NT4 Desktop Charger with K180™ XHL Otoscope and K180 XHL Ophthalmoscope

Midmark HEINE Diagnostic Instrument Desktop Kit Accessories

Model	Description
B-000-11-149-166	AllSpec Tip Dispenser - white

HEINE and BETA are registered trademarks of HEINE Optotechnik GmbH + Co. KG.



Instrument Panel

- Instruments not included
- Shipping weight: 17 lb

Product Information

Step 1. Configuration

I1 Instrument Panel - 30" x 20"

I2 Instrument Panel - 34" x 20"

Step 2. Option Package

X No Lock

Step 3. Cabinetry Finish*

XXX Solid Color Cabinet Finish (Excludes PVC-Free)

XXX Woodgrain, Metallic + PVC-Free Cabinet Finish

Configuration Example: I2X.803

*See page 71 for Cabinetry Finish



Midmark HEINE® Diagnostic Instrument Replacement Parts

Model

Description

B-008-11-400-166	BETA® 400 LED Otoscope (instrument head only)
B-008-11-500-166	BETA 200 LED Otoscope (instrument head only)
B-002-11-550-166	K180™ XHL Otoscope (instrument head only)
C-008-30-100-166	BETA 200 LED Ophthalmoscope (instrument head only)
C-002-30-207-166	K180 XHL Ophthalmoscope (instrument head only)
X-002-99-494-166	NT4 Desktop Charger (without instruments)
X-007-99-396-166	BETA NT 4 Rechargeable Handle (with battery and handle bottom cap)
X-002-99-394-166	BETA NT 4 Handle Bottom Cap
X-095-12-250-166	EN 200 Wall Transformer (without instruments)



Midmark HEINE Diagnostic Instrument Supplies

Model

Description

B-000-11-127-166	AllSpec Disposable Tips 4 mm (box of 1,000)
B-000-11-137-166	AllSpec Disposable Tips 4 mm (case of 10 boxes, 1,000/box)
B-000-11-128-166	AllSpec Disposable Tips 2.5 mm (box of 1,000)
B-000-11-138-166	AllSpec Disposable Tips 2.5 mm (case of 10 boxes, 1,000/box)
X-002-88-078-166	XHL Xenon Halogen 3.5 V Bulb for BETA 400, BETA 200 and K180 Otoscopes (package of 6)
X-002-88-070-166	XHL Xenon Halogen 3.5 V Bulb for BETA 200 Ophthalmoscope (package of 6)
X-002-88-086-166	XHL Xenon Halogen 3.5 V Bulb for K180 Ophthalmoscope (package of 6)
X-007-99-383-166	Rechargeable Lithium-ion Battery



Midmark HEINE[®] GAMMA[™] XXL LF Sphygmomanometer Kit

- 1 – GAMMA XXL LF Professional Sphygmomanometer
- 1 – Twin-tube adult cuff (29 - 41 cm circumference)
- 1 – Twin-tube adult large cuff (35 - 47 cm circumference)
- 1 - Universal mounting plate

Model	Description
M-000-09-323-166	GAMMA XXL LF Sphygmomanometer with universal mounting plate and two twin-tube cuffs (adult and adult large)

Midmark HEINE GAMMA XXL Accessories

Model	Description
M-000-09-701-166	Twin-tube LF blood pressure cuff, Infant (6 x 28 cm; 8 - 13 cm circumference)
M-000-09-703-166	Twin-tube LF blood pressure cuff, Child (10 x 34 cm; 13 - 20 cm circumference)
M-000-09-705-166	Twin-tube LF blood pressure cuff, Adult Small (14 x 53 cm; 20 - 29 cm circumference)
M-000-09-629-166	Twin-tube LF blood pressure cuff, Adult (14 x 58 cm; 29 - 41 cm circumference)
M-000-09-631-166	Twin-tube LF blood pressure cuff, Adult Large (17 x 70 cm; 35 - 47 cm circumference)
M-000-09-625-166	Twin-tube LF blood pressure cuff, Thigh (20 x 86 cm; > 41 cm circumference)

HEINE and GAMMA are trademarks of HEINE Optotechnik GmbH + Co. KG.



Midmark HEINE® GAMMA™ G5 Sphygmomanometer Kit

- 1 – GAMMA G5 Standard Sphygmomanometer
- 1 – Single-tube adult cuff (29 - 41 cm circ.)
- 1 – Single-tube adult large cuff (35 - 47 cm circ.)

Model	Description
M-000-09-230-166	GAMMA G5 Sphygmomanometer with two single-tube cuffs (adult and adult large)

Midmark HEINE GAMMA G5 Accessories

Model	Description
M-000-09-700-166	Single-tube LF blood pressure cuff, Infant (6 x 28 cm; 8 - 13 cm circumference)
M-000-09-702-166	Single-tube LF blood pressure cuff, Child (10 x 34 cm; 13 - 20 cm circumference)
M-000-09-704-166	Single-tube LF blood pressure cuff, Adult Small (14 x 53 cm; 20 - 29 cm circumference)
M-000-09-619-166	Single-tube LF blood pressure cuff, Adult (14 x 58 cm; 29 - 41 cm circumference)
M-000-09-706-166	Single-tube LF blood pressure cuff, Adult Large (17 x 70 cm; 35 - 47 cm circumference)
M-000-09-615-166	Single-tube LF blood pressure cuff, Thigh (20 x 86 cm; > 41 cm circumference)

HEINE and GAMMA are trademarks of HEINE Optotechnik GmbH + Co. KG.

Midmark® Workstations: Limited Warranty

SCOPE OF WARRANTY

Midmark Corporation warrants to the original purchaser its Midmark Workstation products manufactured by Midmark to be free from defects in material and workmanship under normal interior use and service. Midmark's obligation under this warranty is limited to the repair or replacement, at Midmark's option, of the parts or the products the defects of which are reported to Midmark within the applicable warranty period and which upon examination by Midmark prove to be defective.

APPLICABLE WARRANTY PERIOD

The applicable warranty period, measured from the date of delivery to the original user, shall be as follows:

- A. Five years for all Midmark Workstation products and components (except for the shorter periods in B), including drawer fronts and casters
- B. One year for power system components and coiled power cords

EXCLUSIONS

This warranty does not cover and Midmark shall not be liable for: (1) Failure to install or use according to the Midmark user and installation manuals (2) Normal wear and tear, repairs and replacements required because of misuse, abuse, negligence, alteration, accident, freight damage or tampering (including, without limitation, use of product in unsuitable environments or conditions); (3) matching of color, grain or texture except to commercially acceptable standards; (4) changes in color caused by natural or artificial light; (5) products which are

not installed, used or properly cleaned as required in Midmark's written Installation Manual; (6) specially manufactured products; (7) products considered to be of a consumable nature such as light bulbs and surge suppression products; (8) accessories or parts not manufactured by Midmark or use of non-authorized Midmark components; (9) charges by anyone (including Midmark's authorized dealers) for adjustments, repairs, replacement parts, installation or other work performed upon or in connection with such products which is not expressly authorized in writing in advance by Midmark.

EXCLUSIVE REMEDY

Midmark's only obligation under this warranty is the repair or replacement of defective parts. Midmark shall not be liable for any direct, special, indirect, incidental, exemplary or consequential damages or delay.

NO AUTHORIZATION

No person or firm is authorized to create for Midmark any other obligation or liability in connection with the products.

THIS WARRANTY IS MIDMARK'S ONLY WARRANTY AND IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. MIDMARK MAKES NO IMPLIED WARRANTIES OF ANY KIND INCLUDING ANY WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE. THIS WARRANTY IS LIMITED TO THE REPAIR OR REPLACEMENT OF DEFECTIVE PARTS.



Midmark® 6211

Secure Laptop Workstation

- 26" of height adjustment from 23" to 49"
- Keyed laptop security system
- 23" D x 26" W worksurface
- 11" D x 20.5" W secondary worksurface
- Two total-locking casters in the front lock both the wheel and swivel simultaneously (two non-locking casters in the rear)
- 19.5" D x 20.5" W base dimension
- Weight capacity: 20 lb
- Unit weight: 58 lb
- Shipping weight: 103 lb

Model

6211-001-xxx¹

Description

Secure Laptop Workstation

Accessories

Plant Installed	Field Installed	
BCHL	9A659001	Bar Code Holder-LH
BCHR	9A659001	Bar Code Holder-RH
BPCH	9A658001	Blood Pressure Cuff Holder
CPUB	9A663001	CPU Holder-Back
CPUF	9A663001	CPU Holder-Front
DBCM	9A653001	Double Basket
DWLW	9A647001	Drawer w/ Lock-Work Surf Mnt
DWNW	9A646001	Drawer-Work Surf Mnt
EPWS	9A651001	Equipment Pole
IQEP ²	002-10592-00 ²	Equipment Pole Mount for Digital Vital Signs Device
MPSF	9A648001	Mobile Printer Shelf
PMSL	9A655001	Power Mount w/ Steel Cable Mgmt-LH
PMSR	9A655001	Power Mount w/ Steel Cable Mgmt-RH
RBWS	9A650001	Rear Basket
SBCB	9A652001	Single Basket-Back
SBCF	9A652001	Single Basket-Front
SCML	9A668001	Steel Brkt + MG Coiled Power Cord-LH
SCMR	9A668001	Steel Brkt + MG Coiled Power Cord-RH
SHLH	9A654001	Scale Holder-LH
SHRH	9A654001	Scale Holder-RH
USCB	9A656001	Adjustable Utility Shelf
VIPL	9A649001	VOIP Shelf-LH Mount
VIPR	9A649002	VOIP Shelf-RH Mount
VPBL	9A695001	VOIP Steel Bracket-LH Mount
VPBR	9A695002	VOIP Steel Bracket-RH Mount

¹ - See color code chart on page 71

² - Requires EPWS or BPCH for plant installed option.

Requires 9A651001 or 9A658001 for field installed option.



Midmark[®] 6212 Flat Panel PC Workstation

- 26" of height adjustment from 23" to 49"
- 23" D x 26" W worksurface
- Two total-locking casters in the front lock both the wheel and swivel simultaneously (two non-locking casters in the rear)
- Monitor arm w/ 75 mm and 100 mm mounting patterns
- Monitor arm w/ 9.5" independent vertical adj. and up to 40° positive tilt
- Monitor arm capacity range 5 lb min - 20 lb max
- Monitor arm independent rotation of 180°
- 22.5" D x 20.5" W base dimension
- Weight capacity: 30 lb
- Unit weight: 55 lb
- Shipping weight: 100 lb

Model

6212-001-xxx¹

Description

Flat Panel PC Workstation

Accessories

Plant Installed	Field Installed	
AIOM	N/A	Monitor over 10 lb
BCHD	9A664001	Bar Code Holder Mount
BCHL	9A659001	Bar Code Holder-LH
BCHR	9A659001	Bar Code Holder-RH
BPCH	9A658001	Blood Pressure Cuff Holder
CPUB	9A663001	CPU Holder-Back
CPUF	9A663001	CPU Holder-Front
DBCM	9A653001	Double Basket
DMMT	9A667001	Dual Monitor Mount
DWLW	9A647001	Drawer w/ Lock-Work Surf Mnt
DWNW	9A646001	Drawer-Work Surf Mnt
EPWS	9A651001	Equipment Pole
IQEP ²	002-10592-00 ²	Equipment Pole Mount for Digital Vital Signs Device
LPDH	9A662001	Laptop Display Holder
MPSF	9A648001	Mobile Printer Shelf
PMSL	9A655001	Power Mount w/ Steel Cable Mgmt-LH
PMSR	9A655001	Power Mount w/ Steel Cable Mgmt-RH
RBWS	9A650001	Rear Basket
SBCB	9A652001	Single Basket-Back
SBCF	9A652001	Single Basket-Front
SCML	9A668001	Steel Brkt + MG Coiled Power Cord-LH
SCMR	9A668001	Steel Brkt + MG Coiled Power Cord-RH
SHLH	9A654001	Scale Holder-LH
SHRH	9A654001	Scale Holder-RH
TBDH	9A661001	Tablet Display Holder
USCB	9A656001	Adjustable Utility Shelf
VESA	9A660001	VESA Mounting Plate
VIPL	9A649001	VOIP Shelf-LH Mount
VIPR	9A649002	VOIP Shelf-RH Mount
VPBL	9A695001	VOIP Steel Bracket-LH Mount
VPBR	9A695002	VOIP Steel Bracket-RH Mount

¹ - See color code chart on page 71

² - Requires EPWS or BPCH for plant installed option.

Requires 9A651001 or 9A658001 for field installed option.



Midmark® 6213

Flat Panel Secure PC Workstation

- 26" of height adjustment from 23" to 49"
- Keyed PC security system
- 23" D x 26" W worksurface
- 11" D x 20.5" W secondary worksurface
- Two total-locking casters in the front lock both the wheel and swivel simultaneously (two non-locking casters in the rear)
- Monitor arm w/ 75 mm and 100 mm mounting patterns
- Monitor arm w/ 9.5" independent vertical adjustment and up to 40° positive tilt
- Monitor arm capacity range 5 lb min - 20 lb max
- Monitor arm independent rotation of 180°
- 22.5" D x 20.5" W base dimension
- Weight capacity: 30 lb
- Unit weight: 64 lb
- Shipping weight: 109 lb

Model

6213-001-xxx¹

Description

Flat Panel Secure PC Workstation

Accessories

Plant Installed	Field Installed	
AIOM	N/A	Monitor over 10 lb
BCHD	9A664001	Bar Code Holder Mount
BCHL	9A659001	Bar Code Holder-LH
BCHR	9A659001	Bar Code Holder-RH
BPCH	9A658001	Blood Pressure Cuff Holder
CPUB	9A663001	CPU Holder-Back
CPUF	9A663001	CPU Holder-Front
DBCM	9A653001	Double Basket
DMMT	9A667001	Dual Monitor Mount
DWLW	9A647001	Drawer w/ Lock-Work Surf Mnt
DWNW	9A646001	Drawer-Work Surf Mnt
EPWS	9A651001	Equipment Pole
IQEP ²	002-10592-00 ²	Equipment Pole Mount for Digital Vital Signs Device
LPDH	9A662001	Laptop Display Holder
MPSF	9A648001	Mobile Printer Shelf
PCML	9A669001	Plastic Bin + MG Coiled Power Cord - LH
PCMR	9A669001	Plastic Bin + MG Coiled Power Cord - RH
PMBL	9A655002	Power Mount w/ Bin Cable Mgmt-LH
PMBR	9A655002	Power Mount w/ Bin Cable Mgmt-RH
RBWS	9A650001	Rear Basket
SBCB	9A652001	Single Basket-Back
SBCF	9A652001	Single Basket-Front
SHLH	9A654001	Scale Holder-LH
SHRH	9A654001	Scale Holder-RH
TBDH	9A661001	Tablet Display Holder
USCB	9A656001	Adjustable Utility Shelf
VESA	9A660001	VESA Mounting Plate
VIPL	9A649001	VOIP Shelf-LH Mount
VIPR	9A649002	VOIP Shelf-RH Mount
VPBL	9A695001	VOIP Steel Bracket-LH Mount
VPBR	9A695002	VOIP Steel Bracket-RH Mount

¹ - See color code chart on page 71

² - Requires EPWS or BPCH for plant installed option.

Requires 9A651001 or 9A658001 for field installed option.



Midmark® 6214 Procedure Workstation

- 26" of height adjustment from 23" to 49"
- 21" D x 26" W worksurface
- Two total-locking casters in the front lock both the wheel and swivel simultaneously (two non-locking casters in the rear)
- Includes: rear basket, BP cuff holder, integrated spirometer holsters and equipment pole
- 19.5" D x 20.5" W base dimension
- Weight capacity: 30 lb
- Unit weight: 56 lb
- Shipping weight: 101 lb

Model

6214-001-xxx¹

Accessories

Plant Installed	Field Installed
CPUB	9A663001
CPUF	9A663001
DBCM	9A653001
DWLW	9A647001
DWNW	9A646001
IQEP	002-10592-00
PMSL	9A655001
PMSR	9A655001
SBCB	9A652001
SBCF	9A652001
SHLH	9A654001
SHRH	9A654001
USCB	9A656001

Description

Procedure Workstation

CPU Holder-Back
CPU Holder-Front
Double Basket
Drawer w/ Lock-Work Surf Mnt
Drawer-Work Surf Mnt
Equipment Pole Mount for Digital Vital Signs Device
Power Mount w/ Steel Cable Mgmt-LH
Power Mount w/ Steel Cable Mgmt-RH
Single Basket-Back
Single Basket-Front
Scale Holder-LH
Scale Holder-RH
Adjustable Utility Shelf

¹ - See color code chart on page 71



Midmark® 6215-001 Rectangular Workstation

- 26" of height adjustment from 23" to 49"
- 21" D x 26" W worksurface
- 19.5" D x 20.5" W base dimension
- Two total-locking casters in the front lock both the wheel and swivel simultaneously (two non-locking casters in the rear)
- Weight capacity: 30 lb
- Unit weight: 48 lb
- Shipping weight: 93 lb

Model

6215-001-xxx¹

Description

Compact Workstation

Accessories

Plant Installed	Field Installed	
BCHL	9A659001	Bar Code Holder-LH
BCHR	9A659001	Bar Code Holder-RH
BPCH	9A658001	Blood Pressure Cuff Holder
CPUB	9A663001	CPU Holder-Back
CPUF	9A663001	CPU Holder-Front
DBCM	9A653001	Double Basket
DWLW	9A647001	Drawer w/ Lock-Work Surf Mnt
DWNW	9A646001	Drawer-Work Surf Mnt
EPWS	9A651001	Equipment Pole
IQEP ²	002-10592-00 ²	Equipment Pole Mount for Digital Vital Signs Device
MPSF	9A648001	Mobile Printer Shelf
PMSL	9A655001	Power Mount w/ Steel Cable Mgmt-LH
PMSR	9A655001	Power Mount w/ Steel Cable Mgmt-RH
RBWS	9A650001	Rear Basket
SBCB	9A652001	Single Basket-Back
SBCF	9A652001	Single Basket-Front
SCML	9A668001	Steel Brkt + MG Coiled Power Cord-LH
SCMR	9A668001	Steel Brkt + MG Coiled Power Cord-RH
SHLH	9A654001	Scale Holder-LH
SHRH	9A654001	Scale Holder-RH
USCB	9A656001	Adjustable Utility Shelf
VIPL	9A649001	VOIP Shelf-LH Mount
VIPR	9A649002	VOIP Shelf-RH Mount
VPBL	9A695001	VOIP Steel Bracket-LH Mount
VPBR	9A695002	VOIP Steel Bracket-RH Mount

¹ - See color code chart on page 71

² - Requires EPWS or BPCH for plant installed option.

Requires 9A651001 or 9A658001 for field installed option.



Midmark® 6215-002 Compact Rectangular Workstation

- 26" of height adjustment from 23" to 49"
- 17.5" D x 23.5" W worksurface
- 19.5" D x 20.5" W base dimension
- Two total-locking casters in the front lock both the wheel and swivel simultaneously (two non-locking casters in the rear)
- Weight capacity: 20 lb
- Unit weight: 48 lb
- Shipping weight: 93 lb

Model

6215-002-xxx¹

Description

Compact Workstation

Accessories

Plant Installed	Field Installed	
BCHL	9A659001	Bar Code Holder-LH
BCHR	9A659001	Bar Code Holder-RH
BPCH	9A658001	Blood Pressure Cuff Holder
CPUB	9A663001	CPU Holder-Back
CPUF	9A663001	CPU Holder-Front
DBCM	9A653001	Double Basket
EPWS	9A651001	Equipment Pole
IQEP ²	002-10592-00 ²	Equipment Pole Mount for Digital Vital Signs Device
MPSF	9A648001	Mobile Printer Shelf
PMSL	9A655001	Power Mount w/ Steel Cable Mgmt-LH
PMSR	9A655001	Power Mount w/ Steel Cable Mgmt-RH
RBWS	9A650001	Rear Basket
SBCB	9A652001	Single Basket-Back
SBCF	9A652001	Single Basket-Front
SCML	9A668001	Steel Brkt + MG Coiled Power Cord-LH
SCMR	9A668001	Steel Brkt + MG Coiled Power Cord-RH
SHLH	9A654001	Scale Holder-LH
SHRH	9A654001	Scale Holder-RH
USCB	9A656001	Adjustable Utility Shelf
VIPL	9A649001	VOIP Shelf-LH Mount
VIPR	9A649002	VOIP Shelf-RH Mount
VPBL	9A695001	VOIP Steel Bracket-LH Mount
VPBR	9A695002	VOIP Steel Bracket-RH Mount

¹ - See color code chart on page 71

² - Requires EPWS or BPCH for plant installed option.

Requires 9A651001 or 9A658001 for field installed option.



Midmark® 6215-003

Compact Kidney Workstation

- 26" of height adjustment from 23" to 49"
- 17" D x 25" W worksurface
- 19.5" D x 20.5" W base dimension
- Two total-locking casters in the front lock both the wheel and swivel simultaneously (two non-locking casters in the rear)
- Weight capacity: 20 lb
- Unit weight: 48 lb
- Shipping weight: 93 lb

Model

6215-003-xxx¹

Description

Compact Workstation

Accessories

Plant Installed	Field Installed	
BCHL	9A659001	Bar Code Holder-LH
BCHR	9A659001	Bar Code Holder-RH
CPUB	9A663001	CPU Holder-Back
CPUF	9A663001	CPU Holder-Front
DBCM	9A653001	Double Basket
SBCB	9A652001	Single Basket-Back
SBCF	9A652001	Single Basket-Front
SCML	9A668001	Steel Brkt + MG Coiled Power Cord-LH
SCMR	9A668001	Steel Brkt + MG Coiled Power Cord-RH
SHLH	9A654001	Scale Holder-LH
SHRH	9A654001	Scale Holder-RH
USCB	9A656001	Adjustable Utility Shelf

¹ - See color code chart on page 71
Requires 9A651001 or 9A658001 for field installed option.



Midmark® 6217

Secure Laptop Workstation + Mouse Tray

- 26" of height adjustment from 23" to 49"
- Keyed laptop security system
- 23" D x 22" W worksurface w/ slideout mouse surface
- 11" D x 20.5" W secondary worksurface
- 19.5" D x 20.5" W base dimension
- Two total-locking casters in the front lock both the wheel and swivel simultaneously (two non-locking casters in the rear)
- Weight capacity: 30 lb
- Unit weight: 60 lb
- Shipping weight: 105 lb

Model

6217-001-xxx¹

Description

Secure Laptop Workstation + Mouse Tray

Accessories

Plant Installed	Field Installed	
BCHL	9A659001	Bar Code Holder-LH
BCHR	9A659001	Bar Code Holder-RH
BPCH	9A658001	Blood Pressure Cuff Holder
CPUB	9A663001	CPU Holder-Back
CPUF	9A663001	CPU Holder-Front
DBCM	9A653001	Double Basket
DWLW	9A647001	Drawer w/ Lock-Work Surf Mnt
DWNW	9A646001	Drawer-Work Surf Mnt
EPWS	9A651001	Equipment Pole
IQEP ²	002-10592-00 ²	Equipment Pole Mount for Digital Vital Signs Device
MPSF	9A648001	Mobile Printer Shelf
PMSL	9A655001	Power Mount w/ Steel Cable Mgmt-LH
PMSR	9A655001	Power Mount w/ Steel Cable Mgmt-RH
RBWS	9A650001	Rear Basket
SBCB	9A652001	Single Basket-Back
SBCF	9A652001	Single Basket-Front
SCML	9A668001	Steel Brkt + MG Coiled Power Cord-LH
SCMR	9A668001	Steel Brkt + MG Coiled Power Cord-RH
SHLH	9A654001	Scale Holder-LH
SHRH	9A654001	Scale Holder-RH
USCB	9A656001	Adjustable Utility Shelf
VIPL	9A649001	VOIP Shelf-LH Mount
VIPR	9A649002	VOIP Shelf-RH Mount
VPBL	9A695001	VOIP Steel Bracket-LH Mount
VPBR	9A695002	VOIP Steel Bracket-RH Mount

¹ - See color code chart on page 71

² - Requires EPWS or BPCH for plant installed option.

Requires 9A651001 or 9A658001 for field installed option.



Midmark® 6218

Flat Panel PC Workstation + Mouse Tray

- 26" of height adjustment from 23" to 49"
- Monitor arm capacity range 5 lb min - 20 lb max
- Monitor arm independent rotation of 180°
- 23" D x 22" W worksurface w/ slideout mouse surface
- 22.5" D x 20.5" W base dimension
- Two total-locking casters in the front lock both the wheel and swivel simultaneously (two non-locking casters in the rear)
- Monitor arm w/ 75 mm and 100 mm mounting patterns
- Monitor arm w/ 9.5" independent vertical adj. and up to 40° positive tilt
- Weight capacity: 30 lb
- Unit weight: 55 lb
- Shipping weight: 100 lb

Model

6218-001-xxx¹

Description

Flat Panel PC Workstation + Mouse Tray

Accessories

Plant Installed	Field Installed	
AIOM	N/A	Monitor over 10 lb
BCHD	9A664001	Bar Code Holder Mount
BCHL	9A659001	Bar Code Holder-LH
BCHR	9A659001	Bar Code Holder-RH
BPCH	9A658001	Blood Pressure Cuff Holder
CPUB	9A663001	CPU Holder-Back
CPUF	9A663001	CPU Holder-Front
DBCM	9A653001	Double Basket
DMMT	9A667001	Dual Monitor Mount
DWLM	9A647001	Drawer w/ Lock-Mouse Trk Mnt
DWNM	9A646001	Drawer-Mouse Track Mnt
EPWS	9A651001	Equipment Pole
IQEP ²	002-10592-00 ²	Equipment Pole Mount for Digital Vital Signs Device
LPDH	9A662001	Laptop Display Holder
MPSF	9A648001	Mobile Printer Shelf
PMSL	9A655001	Power Mount w/ Steel Cable Mgmt-LH
PMSR	9A655001	Power Mount w/ Steel Cable Mgmt-RH
RBWS	9A650001	Rear Basket
SBCB	9A652001	Single Basket-Back
SBCF	9A652001	Single Basket-Front
SCML	9A668001	Steel Brkt + MG Coiled Power Cord-LH
SCMR	9A668001	Steel Brkt + MG Coiled Power Cord-RH
SHLH	9A654001	Scale Holder-LH
SHRH	9A654001	Scale Holder-RH
TBDH	9A661001	Tablet Display Holder
USCB	9A656001	Adjustable Utility Shelf
VESA	9A660001	VESA Mounting Plate
VIPL	9A649001	VOIP Shelf-LH Mount
VIPR	9A649002	VOIP Shelf-RH Mount
VPBL	9A695001	VOIP Steel Bracket-LH Mount
VPBR	9A695002	VOIP Steel Bracket-RH Mount

¹ - See color code chart on page 71

² - Requires EPWS or BPCH for plant installed option.

Requires 9A651001 or 9A658001 for field installed option.



Midmark® 6219

Flat Panel Secure PC Workstation + Mouse Tray

- 26" of height adjustment from 23" to 49"
- Monitor arm capacity range 5 lb min - 20 lb max
- Keyed PC security system
- Monitor arm independent rotation of 180°
- 23" D x 22" W worksurface w/ slideout mouse surface
- 22.5" D x 20.5" W base dimension
- 11" D x 20.5" W secondary worksurface
- Two total-locking casters in the front lock both the wheel and swivel simultaneously (two non-locking casters in the rear)
- Monitor arm w/ 75 mm and 100 mm mounting patterns
- Monitor arm w/ 9.5" independent vertical adj. + up to 40° positive tilt
- Weight capacity: 30 lb
- Unit weight: 64 lb
- Shipping weight: 109 lb

Model

6219-001-xxx¹

Description

Flat Panel Secure PC Workstation + Mouse Tray

Accessories

Plant Installed	Field Installed	
AIOM	N/A	Monitor over 10 lb
BCHD	9A664001	Bar Code Holder Mount
BCHL	9A659001	Bar Code Holder-LH
BCHR	9A659001	Bar Code Holder-RH
BPCH	9A658001	Blood Pressure Cuff Holder
CPUB	9A663001	CPU Holder-Back
CPUF	9A663001	CPU Holder-Front
DBCM	9A653001	Double Basket
DMMT	9A667001	Dual Monitor Mount
DWLM	9A647001	Drawer w/ Lock-Mouse Trk Mnt
DWNM	9A646001	Drawer-Mouse Track Mnt
EPWS	9A651001	Equipment Pole
IQEP ²	002-10592-00 ²	Equipment Pole Mount for Digital Vital Signs Device
LPDH	9A662001	Laptop Display Holder
MPSF	9A648001	Mobile Printer Shelf
PCML	9A669001	Plastic Bin + MG Coiled Power Cord - LH
PCMR	9A669001	Plastic Bin + MG Coiled Power Cord - RH
PMBL	9A655002	Power Mount w/ Bin Cable Mgmt-LH
PMBR	9A655002	Power Mount w/ Bin Cable Mgmt-RH
RBWS	9A650001	Rear Basket
SBCB	9A652001	Single Basket-Back
SBCF	9A652001	Single Basket-Front
SHLH	9A654001	Scale Holder-LH
SHRH	9A654001	Scale Holder-RH
TBDH	9A661001	Tablet Display Holder
USCB	9A656001	Adjustable Utility Shelf
VESA	9A660001	VESA Mounting Plate
VIPL	9A649001	VOIP Shelf-LH Mount
VIPR	9A649002	VOIP Shelf-RH Mount
VPBL	9A695001	VOIP Steel Bracket-LH Mount
VPBR	9A695002	VOIP Steel Bracket-RH Mount

¹ - See color code chart on page 71

² - Requires EPWS or BPCH for plant installed option.
Requires 9A651001 or 9A658001 for field installed option.



Midmark® 6281 Workstation

- 22" height adjustment
- 19.5" W x 14" D worksurface
- Slide-out mouse surface
- Up to 45" reach off wall
- Weight capacity: 0-8 lb
- Folds to 9" flat to wall
- Unit weight: 33 lb
- Shipping weight: 40 lb
- Work surface accommodates up to 17" laptops

Model

6281-001

Description

Laptop Wall Mounted Workstation

Accessories

Plant Installed	Field Installed	
n/a	9A588001	20" Extension Arm
n/a	9A591001	Track Mount Bar Code Holder
n/a	9A590001	Tamper Proof PC Holder
n/a	9A589001	Adjustable PC Holder



Midmark[®] 6282 Workstation

- 22" worksurface height adjustment
- 25" W x 10" D worksurface
- Max monitor capacity is 20 lb
- 9.5" independent monitor height adjustment
- Independent 180° monitor rotation and 0-45° tilt
- VESA mount 75 mm and 100 mm
- Folds to 9.47" flat to wall
- Weight capacity: 5 - 20 lb
- Product weight: 43 lb
- Shipping weight: 50 lb

Model

6282-001

Description

Standard Duty Wall Mounted Workstation

Accessories

Plant Installed	Field Installed	
n/a	9A593001	Dual Monitor Arm
n/a	9A588001	20" Extension Arm
n/a	9A592001	VESA Mount Bar Code Holder
n/a	9A591001	Track Mount Bar Code Holder
n/a	9A590001	Tamper Proof PC Holder
n/a	9A589001	Adjustable PC Holder
n/a	9A660001	VESA Mounting Plate



Midmark® 6283

Workstation

- 22" worksurface height adjustment
- 25" W x 10" D worksurface
- Max monitor capacity is 30 lb
- 9.5" independent monitor height adjustment
- Independent 180° monitor rotation and 0-45° tilt
- VESA mount 75 mm and 100 mm
- Folds to 9.47" flat to wall
- Weight capacity: 20-35 lb
- Product weight: 43 lb
- Shipping weight: 50 lb

Model

6283-001

Description

Heavy Duty Wall Mounted Workstation

Accessories

Plant Installed	Field Installed	
n/a	9A593001	Dual Monitor Arm
n/a	9A588001	20" Extension Arm
n/a	9A592001	VESA Mount Bar Code Holder
n/a	9A591001	Track Mount Bar Code Holder
n/a	9A590001	Tamper Proof PC Holder
n/a	9A589001	Adjustable PC Holder
n/a	9A660001	VESA Mounting Plate

Synthesis® Cabinetry Collection by Midmark: Limited Warranty

SCOPE OF WARRANTY

Midmark Corporation warrants to the original purchaser its Midmark Modular cabinetry products (Synthesis cabinetry Collection) manufactured by Midmark to be free from defects in material and workmanship under normal interior use and service. Midmark's obligation under this warranty is limited to the repair or replacement, at Midmark's option, of the parts or the products the defects of which are reported to Midmark within the applicable warranty period and which upon examination by Midmark prove to be defective.

Note: If the Midmark Modular Cabinetry products are installed by Midmark, the above referenced warranty shall also include any labor performed, which has been authorized in writing in advance by Midmark, in connection with such repair or replacement during the applicable warranty period.

APPLICABLE WARRANTY PERIOD

The applicable warranty period, measured from the date of delivery to the original user, shall be as follows:

- A. Five years for all Midmark brand casework products and components (except for the shorter periods in B and C), including door and drawer fronts and casters
- B. Three years for task lights
- C. One year for countertop surfaces and accessories

EXCLUSIONS

This warranty does not cover sinks, faucets and plumbing accessories. Any warranties on these items are extended directly by the manufacturer of these items to the original purchaser. Information on these manufacturers' warranties will be enclosed with the applicable products. Also, Midmark will furnish copies of any warranties extended by any such manufacturers upon request.

This warranty does not cover and Midmark shall not be liable for: (1) repairs and replacements required because of misuse, abuse, negligence, alteration, accident, freight damage or tampering; (2) matching of color, grain or texture except to commercially acceptable standards; (3) changes in color caused by natural or artificial light; (4) products which are not installed, used or properly cleaned as required in Midmark's written Installation Manual; (5) specially manufactured products; (6) products considered to be of a consumable nature such as light bulbs and surge suppression products; (7) accessories or parts not manufactured by Midmark; (8) charges by anyone (including Midmark's authorized dealers) for adjustments, repairs, replacement parts, installation or other work performed upon or in connection with such products which is not expressly authorized in writing in advance by Midmark.

EXCLUSIVE REMEDY

Midmark's only obligation under this warranty is the repair or replacement of defective parts. Midmark shall not be liable for any direct, special, indirect, incidental, exemplary or consequential damages or delay.

NO AUTHORIZATION

No person or firm is authorized to create for Midmark any other obligation or liability in connection with the products.

THIS WARRANTY IS MIDMARK'S ONLY WARRANTY AND IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. MIDMARK MAKES NO IMPLIED WARRANTIES OF ANY KIND INCLUDING ANY WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE. THIS WARRANTY IS LIMITED TO THE REPAIR OR REPLACEMENT OF DEFECTIVE PARTS.

Midmark Synthesis® Mobile Solutions are designed for the clinical space to be flexible and durable to stand the test of time.



Frame/Panel Colors:

Solids:

	216 Pebble Grey
	793 Pebble Grey PVC-Free
	490 Fawn
	649 Whisper
	791 Frost
	931 Frost PVC Free

Metallics:

	804 Venus Silver (M)
	805 Pearl Essence (M)
	806 Earthen Bronze (M)
	807 Flat Iron (M)

Woodgrains:

	459 Acorn
	487 Earth
	794 Dune
	795 Flax
	796 Nest
	797 Hewn
	798 Path
	799 Sediment
	800 Radiance
	801 Timber
	802 Storm
	803 Henna
	874 Brazilwood



* Shown with Kydex®
contour top

Mobile Treatment Cabinet M2

33" H x 27" W x 18" D (2) 4" Drawers + (2) Doors

- Serenity panel style w/ flare handles
- Shipping Weight: 155 lb

Product Information

Step 1: Configuration

M2

Step 2: Depth

1 18" Deep

Step 3: Option Package

- A 60 mm Casters
- B 4" Quiet Casters
- C 60 mm Casters + Keyed Locks
- D 4" Quiet Casters + Keyed Locks

Step 4: Cabinetry Finish*

- XXX Solid Color Cabinet Finish (Excludes PVC-Free)
- XXX Woodgrain, Metallic + PVC-Free Cabinet Finish

Step 5: Countertop Type

- KCN Kydex Contour Top
- SEB Soft Edge Bumper Top
- SEH Soft Edge Handle Top (29" W)

Configuration Example: M21A.791.KCN

*See page 71 for Cabinetry Finish

Kydex is a registered trademark of SEKISUI POLYMER INNOVATIONS, LLC



* Shown with soft-edge bumper top

Mobile Treatment Cabinet M4

33" H x 27" W x 18" D (3) 4" Drawers + (1) 8" Drawer

- Serenity panel style w/ flare handles
- Shipping Weight: 152 lb

Product Information

Step 1: Configuration

M4

Step 2. Depth

1 18" Deep

Step 3. Option Package

- A 60 mm Casters
- B 4" Quiet Casters
- C 60 mm Casters + Keyed Locks
- D 4" Quiet Casters + Keyed Locks

Step 4. Cabinetry Finish*

- XXX Solid Color Cabinet Finish (Excludes PVC-Free)
- XXX Woodgrain, Metallic + PVC-Free Cabinet Finish

Step 5. Countertop Type

- KCN Kydex® Contour Top
- SEB Soft Edge Bumper Top
- SEH Soft Edge Handle Top (29"W)

Configuration Example: M41A.791.SEB

*See page 71 for Cabinetry Finish

Kydex is a registered trademark of SEKISUI POLYMER INNOVATIONS, LLC



Mobile Treatment Cabinet M5

33" H x 27" W x 18" D (5) 4" Drawers

- Serenity panel style w/ flare handles
- Shipping Weight: 159 lb

* Shown with soft-edge handle top

Product Information

Step 1: Configuration

M5

Step 2: Depth

1 18" Deep

Step 3: Option Package

- A** 60 mm Casters
- B** 4" Quiet Casters
- C** 60 mm Casters + Keyed Locks
- D** 4" Quiet Casters + Keyed Locks

Step 4: Cabinetry Finish*

- XXX** Solid Color Cabinet Finish (Excludes PVC-Free)
- XXX** Woodgrain, Metallic + PVC-Free Cabinet Finish

Step 5: Countertop Type

- KCN** Kydex® Contour Top
- SEB** Soft Edge Bumper Top
- SEH** Soft Edge Handle Top (29"W)

Configuration Example: M51A.791.SEH

*See page 71 for Cabinetry Finish

Kydex is a registered trademark of SEKISUI POLYMER INNOVATIONS, LLC



* Shown in 24" Width

Mobile Procedure Cart P1

- 43" H x 18" D and available in 18", 21" and 24" W
- (2) 2" drawers, (3) 4" drawers and (1) 8" drawer
- Standard features: slide-out worksurface, no-tip base, full extension Drawers, 4" casters and base bumper
- Various accessories and accessory mounting locations
- Cascade panel style w/ flare handles
- Shipping Weight:
 - o 18" – 187 lb
 - o 21" – 199 lb
 - o 24" – 205 lb

Product Information

Step 1: Configuration

P1 (2) 2" drawers, (3) 4" drawers, (1) 8" drawer
Slide-out Worksurface, 4" Casters, Base Bumper

Step 2: Width

- 1** 18" wide
- 2** 21" wide
- 3** 24" wide

Step 3: Options

- N** None
- E** Keyed Lock
- F** Keyless Lock

Step 4: Cabinetry Finish

- XXX** Solid Color Cabinet Finish (Excludes PVC-Free)
- XXX** Woodgrain, Metallic + PVC-Free Cabinet Finish

Step 5: Countertop Type

- KCT** Kydex® Contour Top
- SCT** Soft-Edge Contour Top

Step 6: Accessories

Plant Installed Field Installed LHHE, RHHE, LHUA, LHDA, RHUA, RHDA and RPCK are PLANT INSTALLED ONLY

LHHE	---	Side Transit Handle, LH mount
RHHE	---	Side Transit Handle, RH mount
LHUA	---	Side Accessory Rail, LH mount - upper only
LHDA	---	Side Accessory Rails, LH mount - upper and lower rails
RHUA	---	Side Accessory Rail, RH mount - upper only
RHDA	---	Side Accessory Rails, RH mount - upper and lower rails
RBCK	---	Top Rear Accessory Rack

These accessories below require one or more of LHUA, LHDA, RHUA, RHDA or RBCK to hold them

SBL	9A688001	6 x 6 Storage Storage Bins/Hinged Lid
MWC	9A689001	Waste Basket w/Bracket (fits lower side accessory rail only)
SWH	9A690001	Disinfectant Wipe Bracket
MSC	9A691001	Sharps container w/Bracket (fits upper side accessory rail only)
SGH	9A692001	Single Glove Box Holder
TGH	9A693001	3-Box Glove Holder

Configuration Example: P12E.216.KCT (Does not include accessories)

*See page 71 for Cabinetry Finish

Kydex is a registered trademark of SEKISUI POLYMER INNOVATIONS, LLC

[BACK TO CONTENTS](#)



* Shown in 18" Width

Mobile Procedure Cart P2

- 43" H x 18" D and available in 18", 21" and 24" W
- (4) 4" drawers and (1) 8" drawer
- Standard features: slide-out worksurface, no-tip base, full extension Drawers, 4" casters and base bumper
- Various accessories and accessory mounting locations
- Cascade panel style w/ flare handles
- Shipping Weight:
 - o 18" – 187 lb
 - o 21" – 199 lb
 - o 24" – 205 lb

Product Information

Step 1: Configuration

P2 (4) 4" drawers, (1) 8" drawer
Slide-out Worksurface, 4" Casters, Base Bumper

Step 2: Width

- 1** 18" wide
- 2** 21" wide
- 3** 24" wide

Step 3: Options

- N** None
- E** Keyed Lock
- F** Keyless Lock

Step 4: Cabinetry Finish

- XXX** Solid Color Cabinet Finish (Excludes PVC-Free)
- XXX** Woodgrain, Metallic + PVC-Free Cabinet Finish

Step 5: Countertop Type

- KCT** Kydex® Contour Top
- SCT** Soft-Edge Contour Top

Step 6: Accessories

Plant Installed Field Installed LHHE, RHHE, LHUA, LHDA, RHUA, RHDA and RPCK are PLANT INSTALLED ONLY

LHHE	---	Side Transit Handle, LH mount
RHHE	---	Side Transit Handle, RH mount
LHUA	---	Side Accessory Rail, LH mount - upper only
LHDA	---	Side Accessory Rails, LH mount - upper and lower rails
RHUA	---	Side Accessory Rail, RH mount - upper only
RHDA	---	Side Accessory Rails, RH mount - upper and lower rails
RBCK	---	Top Rear Accessory Rack

These accessories below require one or more of LHUA, LHDA, RHUA, RHDA or RBCK to hold them

SBL	9A688001	6 x 6 Storage Storage Bins/Hinged Lid
MWC	9A689001	Waste Basket w/Bracket (fits lower side accessory rail only)
SWH	9A690001	Disinfectant Wipe Bracket
MSC	9A691001	Sharps container w/Bracket (fits upper side accessory rail only)
SGH	9A692001	Single Glove Box Holder
TGH	9A693001	3-Box Glove Holder

Configuration Example: P23F.794.SCT (Does not include accessories)



* Shown in 21" Width

Mobile Procedure Cart P3

- 43" H x 18" D and available in 18", 21" and 24" W
- (2) 4" drawers, (1) 23" door w/1 adjustable shelf
- Standard features: slide-out worksurface, no-tip base, full extension Drawers, 4" casters and base bumper
- Various accessories and accessory mounting locations
- Cascade panel style w/ flare handles
- Shipping Weight:
 - o 18" – 187 lb
 - o 21" – 199 lb
 - o 24" – 205 lb

Product Information

Step 1: Configuration

P3 (2) 4" drawers, (1) 23" door w/1 adjustable shelf
Slide-out Worksurface, 4" Casters, Base Bumper

Step 2: Width

- 1** 18" wide (RH single door)
- 2** 21" wide (RH single door)
- 3** 24" wide (double doors)

Step 3: Options

- N** None
- E** Keyed Lock
- F** Keyless Lock

Step 4: Cabinetry Finish

- XXX** Solid Color Cabinet Finish (Excludes PVC-Free)
- XXX** Woodgrain, Metallic + PVC-Free Cabinet Finish

Step 5: Countertop Type

- KCT** Kydex® Contour Top
- SCT** Soft-Edge Contour Top

Step 6: Accessories

Plant Installed Field Installed LHHE, RHHE, LHUA, LHDA, RHUA, RHDA and RPKC are PLANT INSTALLED ONLY

- LHHE** --- Side Transit Handle, LH mount
- RHHE** --- Side Transit Handle, RH mount
- LHUA** --- Side Accessory Rail, LH mount - upper only
- LHDA** --- Side Accessory Rails, LH mount - upper and lower rails
- RHUA** --- Side Accessory Rail, RH mount - upper only
- RHDA** --- Side Accessory Rails, RH mount - upper and lower rails
- RBCK** --- Top Rear Accessory Rack

These accessories below require one or more of LHUA, LHDA, RHUA, RHDA or RBCK to hold them

- SBL** 9A688001 6 x 6 Storage Storage Bins/Hinged Lid
- MWC** 9A689001 Waste Basket w/Bracket (fits lower side accessory rail only)
- SWH** 9A690001 Disinfectant Wipe Bracket
- MSC** 9A691001 Sharps container w/Bracket (fits upper side accessory rail only)
- SGH** 9A692001 Single Glove Box Holder
- TGH** 9A693001 3-Box Glove Holder

Configuration Example: P31E.791.KCT (Does not include accessories)

*See page 71 for Cabinetry Finish

Kydex is a registered trademark of SEKISUI POLYMER INNOVATIONS, LLC



Midmark Storage Bins

- Clinical space organization and storage
- Works great with Midmark sloping shelves
- Stackable bins with translucent lids

* 6" x 12" Storage Bin Shown

Model	Description
002-10708-00	6" x 6" Storage Bins, 8 ct box
002-10709-00	3" x 12" Storage Bins, 4 ct box
002-10710-00	6" x 12" Storage Bins, 4 ct box
002-10711-00	12" x 12" Storage Bins, 2 ct box
002-10712-00	6" x 6" Storage Bin lids, 8 ct pack
002-10713-00	3" x 12" Storage Bin lids, 4 ct pack
002-10714-00	6" x 12" Storage Bin lids, 4 ct pack
002-10715-00	12" x 12" Storage Bin lids, 2 ct pack
002-10716-00	6" Storage Bin dividers, 4 ct pack
002-10717-00	12" Storage Bin dividers, 4 ct pack

Mobile Waste Cart W2



- 18" W x 18" D and available in 31" or 33" H
- Designed to fit underneath Synthesis® Base Cabinets
- Front lock and easy waste removal
- No-touch front design
- Shipping Weight:
 - o 31" – 107 lb
 - o 33" – 111 lb

Product Information

Step 1: Configuration

W2

Step 2: Width

1 18" wide

Step 3: Height

1 31" high

2 33" high

Step 4: Cabinetry Finish

XXX Solid Color Cabinet Finish (Excludes PVC-Free)

XXX Woodgrain, Metallic + PVC-Free Cabinet Finish

Configuration Example: W211.802

*See page 71 for Cabinetry Finish

Mobile Linen Cart L1



- 18" W x 18" D and available in 31" or 33" H
- Designed to fit underneath Synthesis® Base Cabinets
- Front lock and easy waste removal
- No-touch front design
- Shipping Weight:
 - 31" – 115 lb
 - 33" – 119 lb

Product Information

Step 1: Configuration

L1

Step 2: Width

1 18" wide

Step 3: Height

1 31" high

2 33" high

Step 4: Cabinetry Finish

XXX Solid Color Cabinet Finish (Excludes PVC-Free)

XXX Woodgrain, Metallic + PVC-Free Cabinet Finish

Configuration Example: L112.794

*See page 71 for Cabinetry Finish

Glove, Towel + Cup Dispenser



* D6 shown
Vertical

- D5 – D6 = 18"W x 9"D x 24"H (Vertical)
- D7 – D8 = 24"W x 9"D x 24"H (Vertical)
- Shipping weight: 37 lb
- Serenity panel style w/flare handle



* D8 shown
Vertical

Product Information

Step 1. Configuration

D5 18" Vertical Glove/Towel/Cup Dispenser - (2) Opening RH Door

D6 18" Vertical Glove/Towel/Cup Dispenser - (2) Opening LH Door

D7 24" Vertical Glove/Towel/Cup Dispenser - (3) Opening RH Door

D8 24" Vertical Glove/Towel/Cup Dispenser - (3) Opening LH Door

Step 2. Option Package

X No Lock

Step 3. Cabinetry Finish*

XXX Solid Color Cabinet Finish (Excludes PVC-Free)

XXX Woodgrain, Metallic + PVC-Free Cabinet Finish

Configuration Example: D5X.803

*See page 71 for Cabinetry Finish



Dressing Nook

- Right-hand and left-hand door pictured
- 24" W x 7" D x 63" H
- Interior mirror, garment hooks and shoe storage included
- Serenity panel style w/flare handle
- Shipping weight: 138 lb



Product Information

Step 1. Configuration

N1 Dressing Nook - RH Door

N2 Dressing Nook - LH Door

Step 2. Option Package

X No Lock

A Keyed Locks

Step 3. CabinetryFinish*

XXX Solid Color Cabinet Finish (Excludes PVC-Free)

XXX Woodgrain, Metallic + PVC-Free Cabinet Finish

Configuration Example: N2X.803

*See page 71 for Cabinetry Finish



Ritter® Waste Receptacle

- Includes bag retaining ring
- 14" W x 16" D x 25" H
- Shipping weight: 17 lb
- Capacity: 43 liquid qts
- Color: Pebble

Model

261-001

Description

Biohazard waste receptacle



Ritter M11[®]

Steam Sterilizer

- Automatic door
- Chamber size: 11" x 18"
- Includes pouch rack, 6 slot
- ASME certified*
- Sterilizer weight: 99 lb (44.9 kg)
- Shipping weight: 131 lb (59.4 kg)

Pouch Rack Included



Model

M11-042

M11-042-P

M11-042-DL

Extended Warranties

XX-EP-M11-D¹

XX-EPL-M11-D¹

Description

Ritter[®] M11 - large tabletop automatic sterilizer with automatic door

Ritter M11 Steam Sterilizer with Printer (115V)

Ritter M11 Steam Sterilizer with Data Logger (115V)

Parts Only Plan

Parts and Labor Plan

¹ - One year term - 01, two year term - 02, three year term - 03, four year term - 04



Ritter M9[®]

Steam Sterilizer

- Automatic door
- Chamber size: 9" x 15"
- Includes pouch rack, 5 slot
- ASME certified *
- Sterilizer weight: 73 lb (33.1 kg)
- Shipping weight: 81 lb (36.7 kg)

Pouch Rack Included



Model

M9-042

M9-042-P

M9-042-DL

Extended Warranties

XX-EP-M9-D¹

XX-EPL-M9-D¹

Description

Ritter[®] M9 - fully automatic sterilizer with automatic door

Ritter M9 Steam Sterilizer with Printer (115V)

Ritter M9 Steam Sterilizer with Data Logger (115V)

Parts Only Plan

Parts and Labor Plan

¹ - One year term - 01, two year term - 02, three year term - 03, four year term - 04

* ASME Section VIII Division 1

Ritter® M9D

Manual Door



- Chamber size: 9" x 15"
- Includes pouch rack, 5 slot
- ASME certified*
- Sterilizer weight: 73 lb (33.1 kg)
- Shipping weight: 81 lb (36.7 kg)

Pouch Rack Included



Model	Description
M9D-042	Ritter M9D - Steam Sterilizer with manual door
M9D-042-P	Ritter M9D Steam Sterilizer with Printer (115V)
M9D-042-DL	Ritter M9D Steam Sterilizer with Data Logger (115V)

Sterilizer Accessories

Model	Description
002-0396-00	Speed-Clean (16 oz single bottle) (A)
002-0396-05	Speed-Clean (12 - 16 oz bottles)
9A307001	M9/M11 Cool Hand Tool (Tray and Cassette Removal Tool) (B)
9A599001	M9-042 and M11-042 Printer (C)
9A682001	Sterilizer Data Logger (D)
002-10502-00	Data Logger USB Device (E)

(A) Speed-Clean



8" H

(B) Cool Hand Tool



8.5" L

(C) M9/M11-042 Printer




(D) Data Logger



(E) Data Logger
USB Device



* ASME Section VIII Division 1



Double VistaCool™

Direct-to-Drain System

- Designed to be compatible with Ritter M11® or M9® sterilizer
- Tank dimensions w/fittings: 4" W x 13" L x 17" H
(10.2 cm x 33.1 cm x 43.2 cm)
- Tank volume: 3 gal (11.40 liters)
- Tank weight w/water and fittings: 28 lb (12.7 kg)
- Approximate shipping weight: 10 lb (4.5 kg)
- Max coolant water pressure: 100 psi (6.9 bar)

Model

9A586002¹

Description

VistaCool double unit for connecting to any two current Ritter® sterilizers

¹Required adapter kits included. Ritter M9 and M11 only compatible with the double unit.

Accessories

Model

Description

9A586004

Air Gap Kit (needed only if required by local code)

9A586006

Double VistaCool adjustable tank stand

VistaCool™ Direct-to-Drain System for Autoclave Wastewater is a trademark of Crosstex International, Inc., a Cantel Medical Company, Hauppauge, NY



QuickClean® Ultrasonic Cleaner QC6/QC6R

- Tank Capacity: 6.6 gal/25 L
- Tank Size: 19.9" L x 11.8" W x 7.9" H (50.5 x 30 x 20 cm)
- Overall Size: 21.6" L x 16.5" W x 14.3" H (55 x 42 x 36.5 cm)
- Tabletop Unit Weight: 29.6 lb (13.44 kg)
- Tabletop Unit Shipping Weight: 32.6 lb (14.78 kg)
- Recessed Unit Weight: 32.9 lb (14.92 kg)
- Recessed Unit Shipping Weight: 35.8 lb (16.26 kg)
- Safety basket INCLUDED

Model	Description
QC6-01	QuickClean Ultrasonic Cleaner – 6.6 gal Tabletop Unit
QC6R-01	QuickClean Ultrasonic Cleaner – 6.6 gal Recessed Unit



QuickClean® Ultrasonic Cleaner QC3/QC3R

- Tank Capacity: 3.3 gal/12.5 L
- Tank Size: 13" L x 11.8" W x 5.9" H (33 x 30 x 15 cm)
- Overall Size: 14.7" L x 16.5" W x 10.4" H (37.5 x 42 x 26.5 cm)
- Tabletop Unit Weight: 18.6 lb (8.42 kg)
- Tabletop Unit Shipping Weight: 20.9 lb (9.50 kg)
- Recessed Unit Weight: 22.3 lb (10.10 kg)
- Recessed Unit Shipping Weight: 24.6 lb (11.18 kg)
- Safety basket INCLUDED

Model	Description
QC3-01	QuickClean Ultrasonic Cleaner – 3.3 gal Tabletop Unit
QC3R-01	QuickClean Ultrasonic Cleaner – 3.3 gal Recessed Unit



QuickClean[®] Ultrasonic Cleaner QC1

- Tank Capacity: 1.2 gal/4.5 L
- Tank Size: 11.8" L x 5.9" W x 5.9" H (30 x 15 x 15 cm)
- Overall Size: 13.5" L x 10.2" W x 10.4" H (30 x 26 x 26.5 cm)
- Tabletop Unit Weight: 12.7 lb (5.76 kg)
- Tabletop Unit Shipping Weight: 14.6 lb (6.64 kg)
- Safety basket INCLUDED

Model	Description
QC1-01	QuickClean Ultrasonic Cleaner – 1.2 gal Tabletop Unit

Ultrasonic Parts + Accessories

9A612001	QC1 QuickClean Beaker Accessory Kit
9A613001	QC3/QC3R QuickClean Beaker Accessory Kit
9A614001	QC6/QC6R QuickClean Beaker Accessory Kit
9A298001	Midmark Enzymatic Cleaner (32 oz)
9A296001	Midmark General Purpose Cleaner (32 oz)
9A297001	Midmark Tartar and Stain Remover (32 oz)
002-10007-00	QC1 Safety Basket (1 basket comes standard with QC1 unit)
002-10008-00	QC3/QC3R Safety Basket (1 basket comes standard with QC3/QC3R unit)
002-10009-00	QC6/QC6R Safety Basket (1 basket comes standard with QC6/QC6R unit)



Designing better care.®



CARB 93120.2 Phase 2 Compliant and TSCA Title VI Compliant
(applicable products)

The color examples shown are the best representation of the original material. Actual color may vary slightly. We strongly recommend that you contact Midmark Customer Experience at 1.800.MIDMARK to request a sample before placing your order.

Midmark is an ISO 13485 and ISO 9001 Certified Company.
Certain products are not included. See the complete list at: [midmark.com/ISO](https://www.midmark.com/ISO)

HEINE is an ISO 13485 Certified Company.

For more information, contact your Midmark dealer
or call: 1.800.MIDMARK Outside the USA call: 1.937.526.3662
or visit our website: [midmark.com](https://www.midmark.com)

The VistaCool™ Direct-to-Drain Cooling System for Autoclave Wastewater is manufactured by and a trademark of Crosstex International, Inc., a Cantel Medical Company.

© 2024 Midmark Corporation, Versailles, Ohio USA
Products subject to improvement changes without notice.
Litho in USA.

MKT00176 (3/24)

