




JB-70


PREVA




Mounting Hole for
Metal Studs Mount
30-A2043

Mounting Hole
Recommended Lag Screw Size:
3/8 x 3" (6 places)
Recommended
Drill Size: 5/32" (4mm) (6 places)


Operator Panel
Cable Junction Box
Location



Catalog Number (Beginning with)	A	B	C	D
DCD5 DCV5 I7015 P7015	24 5/8" (63 cm)	20 1/2" (52 cm)	52 1/2" (133 cm)	56 1/2" (144 cm)
DCD6 DCV6 I7016 P7016	34 5/8" (88 cm)	30 1/2" (78 cm)	62 1/2" (159 cm)	66 1/2" (167 cm)
DCD7 DCV7 I7017 P7017	44 5/8" (114 cm)	40 1/2" (103 cm)	72 1/2" (184 cm)	76 1/2" (194 cm)
DCD8 DCV8 P7018	48 5/8" (124 cm)	44 1/2" (113 cm)	76 1/2" (194 cm)	80 1/2" (204 cm)



Control Unit - Two



o Stud Mount

Control Unit
Mounting Hole

Location
from Floor

12" square measurement guide

1" square

12" square measurement guide

Mounting Hole for
Metal Studs Mount
30-A2043

