

Position yourself and your patients for outpatient procedures.

Since the 1980s, ambulatory procedures have been steadily increasing¹. With improved technology and advancements in anesthesia and pain management, **the number of procedures being performed on an outpatient basis is expected to rise.**¹ Is your facility equipped to handle this migration of care?




48.3 million

Number of outpatient procedures performed in the US in 2019²


11%

Predicted increase in outpatient procedures in the US from 2017 to 2022³


Not only are procedures shifting, so are your patients.



Percentage of procedures performed on adults aged 45 – 64²



Percentage of procedures performed on adults aged 65 – 74²



Percentage of procedures performed on adults aged 75 and over²

Procedures can be lengthy for caregivers + patients.



50.2 minutes

Median procedure room time per patient encounter⁴



17.2

Number of cases per day at a typical ambulatory surgery center⁵

Better position caregivers + patients for outpatient procedures.

When performing outpatient procedures, it's important to choose a procedure chair that provides clear access to the patient and procedure site. But, have you considered provider ergonomics?

1 out of 5

Of all injuries reported in the US is healthcare related⁶

3X

Healthcare workers are almost 3 times as likely to suffer from work-related injuries than construction workers⁹

Midmark can help.

Midmark procedure chairs are designed with features that help ensure ample access to the patient while maintaining a proper working position whether seated or standing.



- 01 Powered seat and tilt
- 02 Powered back
- 03 Adjustable height from 18" to 40"
- 04 Slim contoured upholstery
- 05 Functional headrest options

Caregiver Ergonomics



Proper Height
Work at elbow height with hands straight and in-line with forearms.



Straight Back
Back should be kept straight when seated or standing.



Relaxed Arms
Shoulders and arms should be relaxed with elbows close to the body.

Patient Positioning



Lithotomy
Position patients for lower-body procedures



Trendelenburg
Widely used as a first-line treatment of acute hypotension and/or shock



Elevated Flat
Can improve access and visibility to the patient's head, neck and torso



Barrier-Free Entry
Low height of 18 inches allows for better patient access

Sources:
1 <https://www.healthaffairs.org/doi/full/10.1377/hlthaff.2013.1281>
2 <https://www.cdc.gov/nchs/data/nhsr/nhsr102.pdf>
3 <https://www.beckersasc.com/asc-tumaround-ideas-to-improve-performance/10-key-trends-for-asc-and-outpatient-surgery-in-the-next-10-years.html>
4 ASC Association's Outcomes Monitoring Project 2nd Quarter 2010 Report <https://www.beckersasc.com/lists/100-surgery-center-benchmarks-statistics-to-know.html> - #31
5 <https://www.beckershospitalreview.com/hospital-management-administration/100-things-to-know-about-asc-and-hospital-ambulatory-visits.html> - #65
6 <https://www.bls.gov/iif/oshch0060.pdf>

